



Full credit is given to the above companies including the OS that this PDF file was generated!

Linux Ubuntu 22.4.5 Manual Pages on command 'Lintian::Pool.3'

\$ man Lintian::Pool.3

Lintian::Pool(3) Debian Package Checker Lintian::Pool(3)

NAME

Lintian::Pool -- Pool of processables

SYNOPSIS

```
use Lintian::Pool;

my $pool = Lintian::Pool->new;
$pool->add_file('foo.changes');
$pool->add_file('bar.dsc');
$pool->add_file('baz.deb');
$pool->add_file('qux.buildinfo');
foreach my $gname ($pool->get_group_names){
    my $group = $pool->get_group($gname);
    process($gname, $group);
}
```

METHODS

`$pool->groups`

Returns a hash reference to the list of processable groups that are currently in the pool. The key is a unique identifier based on name and version.

"savedir"

`$pool->basedir`

Returns the base directory for the pool. Most likely it's a temporary directory.

`$pool->keep`

Returns or accepts a boolean value that indicates whether the lab should be removed when Lintian finishes. Used for debugging.

`$pool->add_group($group)`

Adds a group to the pool.

`$pool->process`

Process the pool.

`$pool->get_group_names`

Returns the name of all the groups in this pool.

Do not modify the list nor its contents.

`$pool->get_group($name)`

Returns the group called `$name` or "undef" if there is no group called `$name`.

`$pool->empty`

Returns true if the pool is empty.

DEMOLISH

Removes the lab and everything in it. Any reference to an entry returned from this lab will immediately become invalid.

AUTHOR

Originally written by Niels Thykier <niels@thykier.net> for Lintian.

SEE ALSO

[lintian\(1\)](#)

[Lintian::Processable](#)

[Lintian::Group](#)

[Lintian v2.62.0ubuntu2.2](#)

[2022-11-09](#)

[Lintian::Pool\(3\)](#)