



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'XtAppGetErrorDatabaseText.3'

\$ man XtAppGetErrorDatabaseText.3

XtAppGetErrorDatabase(3)

XT FUNCTIONS

XtAppGetErrorDatabase(3)

NAME

XtAppGetErrorDatabase, XtAppGetErrorDatabaseText - obtain error database

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
XrmDatabase *XtAppGetErrorDatabase(XtApplicationContext app_context);
```

```
void XtAppGetErrorDatabaseText(XtApplicationContext app_context, const char *name, const char
    *type, const char *class, const char *defaultMsg, char *buffer_return, int nbytes,
    XrmDatabase database);
```

ARGUMENTS

app_context

Specifies the application context.

buffer_return

Specifies the buffer into which the error message is to be returned.

class Specifies the resource class of the error message.

database Specifies the name of the alternative database that is to be used or NULL if the application's database is to be used.

defaultMsg

Specifies the default message to use.

name

type Specifies the name and type that are concatenated to form the resource name of the error message.

nbytes Specifies the size of the buffer in bytes.

DESCRIPTION

The XtAppGetErrorDatabase function returns the address of the error database. The Intrinsics do a lazy binding of the error database and do not merge in the database file until the first call to XtAppGetErrorDatabaseText.

The XtAppGetErrorDatabaseText returns the appropriate message from the error database or returns the specified default message if one is not found in the error database.

SEE ALSO

[XtAppError\(3\)](#), [XtAppErrorMsg\(3\)](#)

[X Toolkit Intrinsics - C Language Interface](#)

[Xlib - C Language X Interface](#)