



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'XtAppSetFallbackResources.3'

\$ man XtAppSetFallbackResources.3

XtAppSetFallbackResources(3) XT FUNCTIONS XtAppSetFallbackResources(3)

NAME

XtAppSetFallbackResources - set fallback resources

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
void XtAppSetFallbackResources(XtAppContext app_context, String* specification_list);
```

ARGUMENTS

app_context

Specifies the application context.

specification_list

Specifies a NULL-terminated list of resource specifications to pre-load the database, or NULL.

DESCRIPTION

Each entry in specification_list points to a string in the format XrmPutLineResource. following a call to XtAppSetFallbackResources, when a resource database is being created for a particular screen and the Intrinsics are not able to find or read an application-specific class resource file and if specification_list is not NULL the resource specifica?

tion in `specification_list` will be merged into the screen resource database in place of the application-specific class resource file. `XtAppSetFallbackResources` is not required to copy `specification_list`; the caller must ensure that the contents of the list and the strings addressed by the list remain valid until all displays are initialized or until `XtAppSetFallbackResources` is called again. The value `NULL` for `specification_list` removes any previous fallback resource specification for the application context. The intended use for fallback resources is to provide a minimal number of resources that will make the application usable (or at least terminate with helpful diagnostic messages) when some problem exists in finding and loading the application defaults file.

SEE ALSO

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.2.1

`XtAppSetFallbackResources(3)`