



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'XtGetSelectionParameters.3'***

***\$ man XtGetSelectionParameters.3***

XtGetSelectionParameters(3)            XT FUNCTIONS            XtGetSelectionParameters(3)

NAME

XtGetSelectionParameters - retrieve target parameters for a selection request with a sin?  
gle target

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
void XtGetSelectionParameters(Widget owner, Atom selection, XtRequestId request_id, Atom  
*type_return, XtPointer *value_return, unsigned long *length_return, int *for?  
mat_return);
```

ARGUMENTS

owner    Specifies the widget that owns the specified selection.

selection Specifies the selection being processed.

request\_id

Specifies the requestor id in the case of incremental selections, or NULL in the case of atomic transfers.

type\_return

Specifies a pointer to an atom in which the property type of the parameters will be stored.

value\_return

Specifies a pointer into which a pointer to the parameters are to be stored. A NULL will be stored if no parameters accompany the request.

length\_return

Specifies a pointer into which the number of data elements in value\_return of size indicated by format\_return will be stored.

format\_return

Specifies a pointer into which the size in bits of the parameter data in the elements of value\_return will be stored.

## DESCRIPTION

XtGetSelectionParameters may only be called from within an XtConvertSelectionProc or from within the last call to an XtConvertSelectionIncrProc with a new request\_id.

## SEE ALSO

XtSetSelectionParameters(3)

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.2.1

XtGetSelectionParameters(3)