



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'XtReleaseGC.3'

\$ man XtReleaseGC.3

XtGetGC(3) XT FUNCTIONS XtGetGC(3)

NAME

XtGetGC, XtReleaseGC - obtain and destroy a sharable GC

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
GC XtGetGC(Widget w, XtGCMask value_mask, XGCValues *values);
```

```
void XtReleaseGC(Widget w, GC gc);
```

ARGUMENTS

`gc` Specifies the GC to be deallocated.

`values` Specifies the actual values for this GC.

`value_mask`
 Specifies which fields of the values are specified.

`w` Specifies the widget.

DESCRIPTION

The XtGetGC function returns a sharable, read-only GC. The parameters to this function are the same as those for XCreateGC except that a widget is passed instead of a display. XtGetGC shares only GCs in which all values in the GC returned by XCreateGC are the same. In particular, it does not use the value_mask provided to determine which fields of the GC a widget considers relevant. The value_mask is used only to tell the server which fields should be filled in with widget data and which it should fill in with default values. For further information about value_mask and values, see XCreateGC in the Xlib - C Language X Interface.

The XtReleaseGC function deallocate the specified shared GC.

SEE ALSO

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface