



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'XtSetMappedWhenManaged.3'

\$ man XtSetMappedWhenManaged.3

XtMapWidget(3) XT FUNCTIONS XtMapWidget(3)

NAME

XtMapWidget, XtSetMappedWhenManaged, XtUnmapWidget - map and unmap widgets

SYNTAX

```
#include <X11/Intrinsic.h>

void XtMapWidget(Widget w);

void XtSetMappedWhenManaged(Widget w, Boolean map_when_managed);

void XtUnmapWidget(Widget w);
```

ARGUMENTS

map_when_managed
 Specifies a Boolean value that indicates the new value of the map_when_managed field.

w Specifies the widget.

DESCRIPTION

If the widget is realized and managed and if the new value of map_when_managed is True, XtSetMappedWhenManaged maps the window. If the widget is realized and managed and if the new value of map_when_managed is False, it unmaps the window. XtSetMappedWhenManaged is a convenience function that is equivalent to (but slightly faster than) calling XtSetValues and setting the new value for the mappedWhenManaged resource. As an alternative to using XtSetMappedWhenManaged to control mapping, a client may set mapped_when_managed to False and use XtMapWidget and XtUnmapWidget explicitly.

SEE ALSO

XtManageChildren(3)

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.2.1

XtMapWidget(3)