



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'XtVaCreateArgsList.3'

\$ man XtVaCreateArgsList.3

XtVaCreateArgsList(3) XT FUNCTIONS XtVaCreateArgsList(3)

NAME

XtVaCreateArgsList - dynamically allocate a varargs list

SYNTAX

```
#include <X11/Intrinsic.h>
```

```
XtVarArgsList XtVaCreateArgsList(XtPointer unused, ...);
```

ARGUMENTS

unused Must be specified as NULL.

... Specifies a variable parameter list of resource name and value pairs.

DESCRIPTION

The XtVaCreateArgsList function allocates memory and copies its arguments into a single list pointer, which may be used with XtVaNestedList. The end of both lists is identified by a name entry containing NULL. Any entries of type XtVaTypedArg are copied as specified without applying conversions. Data passed by reference (including Strings) are not copied, only the pointers themselves; the caller must ensure that the data remain valid for the lifetime of the created varargs list. The list should be freed using XtFree when no longer needed.

SEE ALSO

X Toolkit Intrinsic - C Language Interface

Xlib - C Language X Interface

X Version 11

libXt 1.2.1

XtVaCreateArgsList(3)