



## ***Linux Ubuntu 22.4.5 Manual Pages on command 'bundle-binstubs2.7.1'***

***\$ man bundle-binstubs2.7.1***

BUNDLE-BINSTUBS(1) BUNDLE-BINSTUBS(1)

### NAME

bundle-binstubs - Install the binstubs of the listed gems

### SYNOPSIS

bundle binstubs GEM\_NAME [--force] [--path PATH] [--standalone]

### DESCRIPTION

Binstubs are scripts that wrap around executables. Bundler creates a small Ruby file (a binstub) that loads Bundler, runs the command, and puts it into bin/. Bin? stubs are a shortcut-or alternative- to always using bundle exec. This gives you a file that can be run directly, and one that will always run the correct gem version used by the application.

For example, if you run `bundle binstubs rspec-core`, Bundler will create the file `bin/rspec`. That file will contain enough code to load Bundler, tell it to load the bundled gems, and then run `rspec`.

This command generates binstubs for executables in `GEM_NAME`. Binstubs are put into `bin`, or the `--path` directory if one has been set. Calling `binstubs` with `[GEM [GEM]]` will create binstubs for all given gems.

### OPTIONS

`--force`

Overwrite existing binstubs if they exist.

`--path` The location to install the specified binstubs to. This defaults to `bin`.

`--standalone`

Makes binstubs that can work without depending on Rubygems or Bundler at runtime.

--shebang

Specify a different shebang executable name than the default (default ?ruby?)

## BUNDLE INSTALL --BINSTUBS

To create binstubs for all the gems in the bundle you can use the --binstubs flag in `bundle install(1)` [bundle-install.1.html](#).

December 2019

BUNDLE-BINSTUBS(1)