



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'chroot.8'

\$ man chroot.8

CHROOT(8) User Commands CHROOT(8)

NAME

chroot - run command or interactive shell with special root directory

SYNOPSIS

chroot [OPTION] NEWROOT [COMMAND [ARG]...]

chroot OPTION

DESCRIPTION

Run COMMAND with root directory set to NEWROOT.

--groups=G_LIST

specify supplementary groups as g1,g2,...,gN

--userspec=USER:GROUP

specify user and group (ID or name) to use

--skip-chdir

do not change working directory to '/'

--help display this help and exit

--version

output version information and exit

If no command is given, run "\$SHELL" -i (default: '/bin/sh -i').

AUTHOR

Written by Roland McGrath.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

`chroot(2)`

Full documentation <<https://www.gnu.org/software/coreutils/chroot>>

or available locally via: `info '(coreutils) chroot invocation'`

GNU coreutils 8.32

February 2024

CHROOT(8)