



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'containers-certs.d.5'

\$ man containers-certs.d.5

containers-certs.d(5) storing containers-certs.d(5)

NAME

containers-certs.d - Directory for storing custom container-registry TLS configurations

DESCRIPTION

A custom TLS configuration for a container registry can be configured by creating a directory under `$HOME/.config/containers/certs.d` or `/etc/containers/certs.d`. The name of the directory must correspond to the host:port of the registry (e.g., `my-registry.com:5000`).

Directory Structure

A certs directory can contain one or more files with the following extensions:

? *.crt files with this extensions will be interpreted as CA certificates

? *.cert files with this extensions will be interpreted as client certificates

? *.key files with this extensions will be interpreted as client keys

Note that the client certificate-key pair will be selected by the file name (e.g., `client.{cert,key}`). An exemplary setup for a registry running at `my-registry.com:5000` may look as follows:

/etc/containers/certs.d/ <- Certificate directory

??? my-registry.com:5000 <- Hostname:port

??? client.cert <- Client certificate

??? client.key <- Client key

??? ca.crt <- Certificate authority that signed the registry certificate

HISTORY

Feb 2019, Originally compiled by Valentin Rothberg rothberg@redhat.com ?mailto:rothberg@redhat.com?

for Directory containers-certs.d(5)