



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'deb-postrm.5'

\$ man deb-postrm.5

deb-postrm(5) dpkg suite deb-postrm(5)

NAME

deb-postrm - package post-removal maintainer script

SYNOPSIS

DEBIAN/postrm

DESCRIPTION

A package can perform several post-removal actions via maintainer scripts, by including an executable postrm file in its control archive (i.e. DEBIAN/postrm during package creation).

The script can be called in the following ways:

postrm remove

After the package was removed.

postrm purge

After the package was purged.

old-postrm upgrade new-version

After the package was upgraded.

new-postrm failed-upgrade old-version new-version

If the above upgrade call fails.

The new-version is passed only since dpkg 1.18.5.

postrm disappear overwriter-package overwriter-version

After all of the packages files have been replaced.

new-postrm abort-install

If preinst fails during install.

new-postrm abort-install old-version new-version

If preinst fails during upgrade of removed package.

The new-version is passed only since dpkg 1.18.5.

new-postrm abort-upgrade old-version new-version

If preinst fails during upgrade.

The new-version is passed only since dpkg 1.18.5.

SEE ALSO

dpkg(1).

1.21.1

2024-02-23

deb-postrm(5)