



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'devlink-dpipe.8'***

***\$ man devlink-dpipe.8***

DEVLINK-DPIPE(8)                      Linux                      DEVLINK-DPIPE(8)

**NAME**

devlink-dpipe - devlink dataplane pipeline visualization

**SYNOPSIS**

devlink [ OPTIONS ] dpipe { table | header } { COMMAND | help }

OPTIONS := { -V[ersion] }

devlink dpipe table show DEV [ name TABLE\_NAME ]

devlink dpipe table set DEV name TABLE\_NAME

devlink dpipe table dump DEV name TABLE\_NAME

devlink dpipe header show DEV

devlink dpipe help

**DESCRIPTION**

devlink dpipe table show - display devlink dpipe table attributes

name TABLE\_NAME

Specifies the table to operate on.

devlink dpipe table set - set devlink dpipe table attributes

name TABLE\_NAME

Specifies the table to operate on.

devlink dpipe table dump - dump devlink dpipe table entries

name TABLE\_NAME

Specifies the table to operate on.

devlink dpipe header show - display devlink dpipe header attributes

name TABLE\_NAME

Specifies the table to operate on.

## EXAMPLES

```
devlink dpipe table show pci/0000:01:00.0
```

Shows all dpipe tables on specified devlink device.

```
devlink dpipe table show pci/0000:01:00.0 name mlxsw_erif
```

Shows mlxsw\_erif dpipe table on specified devlink device.

```
devlink dpipe table set pci/0000:01:00.0 name mlxsw_erif counters_enabled true
```

Turns on the counters on mlxsw\_erif table.

```
devlink dpipe table dump pci/0000:01:00.0 name mlxsw_erif
```

Dumps content of mlxsw\_erif table.

```
devlink dpipe header show pci/0000:01:00.0
```

Shows all dpipe headers on specified devlink device.

## SEE ALSO

devlink(8), devlink-dev(8), devlink-monitor(8),

AUTHOR

Jiri Pirko <jiri@mellanox.com>

iproute2

4 Apr 2020

DEVLINK-DPIPE(8)