



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-image-diff.1'

\$ man docker-image-diff.1

podman-image-diff(1)() podman-image-diff(1)()

NAME

podman-image-diff - Inspect changes on an image's filesystem

SYNOPSIS

podman image diff [options] image [image]

DESCRIPTION

Displays changes on an image's filesystem. The image will be compared to its parent layer or the second argument when given.

The output is prefixed with the following symbols:

??

?Symbol ? Description ?

??

?A ? A file or directory was added. ?

??

?D ? A file or directory was deleted. ?

??

?C ? A file or directory was changed. ?

??

OPTIONS

--format

Alter the output into a different format. The only valid format for podman image diff is json.

EXAMPLE

```
$ podman diff redis:old
```

```
C /usr
```

```
C /usr/local
```

```
C /usr/local/bin
```

```
A /usr/local/bin/docker-entrypoint.sh
```

```
$ podman diff --format json redis:old redis:alpine
```

```
{  
  "changed": [  
    "/usr",  
    "/usr/local",  
    "/usr/local/bin"  
  ],  
  "added": [  
    "/usr/local/bin/docker-entrypoint.sh"  
  ]  
}
```

SEE ALSO

podman(1)

HISTORY

August 2017, Originally compiled by Ryan Cole rycole@redhat.com ?mailto:rycole@redhat.com?

podman-image-diff(1)()