



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-image-prune.1'***

**\$ man docker-image-prune.1**

podman-image-prune(1)()

podman-image-prune(1)()

#### **NAME**

podman-image-prune - Remove all unused images from the local store

#### **SYNOPSIS**

podman image prune [options]

#### **DESCRIPTION**

podman image prune removes all dangling images from local storage. With the all option, you can delete all unused images (i.e., images not in use by any container).

The image prune command does not prune cache images that only use layers that are necessary for other images.

#### **OPTIONS**

--all, -a

Remove dangling images and images that have no associated containers.

--filter=filters

Provide filter values.

The --filter flag format is of ?key=value?. If there is more than one filter, then pass multiple flags (e.g., --filter "foo=bar" --filter "bif=baz")

Supported filters:

? until (timestamp) - only remove containers and images created before given time?

stamp

? label (label=key, label=key=value, label!=key, or label!=key=value) - only remove containers and images, with (or without, in case label!=... is used) the specified labels.

The `until` filter can be Unix timestamps, date formatted timestamps, or Go duration strings (e.g. `10m`, `1h30m`) computed relative to the machine's time.

The `label` filter accepts two formats. One is the `label=...` (`label=key` or `label=key=value`), which removes images with the specified labels. The other format is the `label!=...` (`la?bel!=key` or `label!=key=value`), which removes images without the specified labels.

**--force, -f**

Do not provide an interactive prompt for container removal.

**--help, -h**

Print usage statement

## EXAMPLES

Remove all dangling images from local storage

```
$ sudo podman image prune
```

WARNING! This will remove all dangling images.

Are you sure you want to continue? [y/N] y

```
f3e20dc537fb04cb51672a5cb6fdf2292e61d411315549391a0d1f64e4e3097e
```

```
324a7a3b2e0135f4226ffdd473e4099fd9e477a74230cdc35de69e84c0f9d907
```

Remove all unused images from local storage without confirming

```
$ sudo podman image prune -a -f
```

```
f3e20dc537fb04cb51672a5cb6fdf2292e61d411315549391a0d1f64e4e3097e
```

```
324a7a3b2e0135f4226ffdd473e4099fd9e477a74230cdc35de69e84c0f9d907
```

```
6125002719feb1ddf3030acab1df6156da7ce0e78e571e9b6e9c250424d6220c
```

```
91e732da5657264c6f4641b8d0c4001c218ae6c1adb9dcef33ad00cafd37d8b6
```

```
e4e5109420323221f170627c138817770fb64832da7d8fe2babd863148287fca
```

```
77a57fa8285e9656dbb7b23d9efa837a106957409ddd702f995605af27a45ebe
```

Remove all unused images from local storage since given time/hours.

```
$ sudo podman image prune -a --filter until=2019-11-14T06:15:42.937792374Z
```

WARNING! This will remove all dangling images.

Are you sure you want to continue? [y/N] y

```
e813d2135f17fadeffee8159a34cfdd4c30b98d8111364b913a91fd930643e9
```

```
5e6572320437022e2746467ddf5b3561bf06e099e8e6361df27e0b2a7ed0b17b
```

```
58fda2abf5042b35dfe04e5f8ee458a3cc26375bf309efb42c078b551a2055c7
```

```
6d2bd30fe924d3414b64bd3920760617e6ced872364bc3bc6959a623252da002
```

```
33d1c829be64a1e1d379caf4feec1f05a892c3ef7aa82c0be53d3c08a96c59c5
```

```
f9f0a8a58c9e02a2b3250b88cc5c95b1e10245ca2c4161d19376580aaa90f55c  
1ef14d5ede80db78978b25ad677fd3e897a578c3af614e1fda608d40c8809707  
45e1482040e441a521953a6da2eca9bafc769e15667a07c23720d6e0cafc3ab2  
$ sudo podman image prune -f --filter until=10h
```

```
f3e20dc537fb04cb51672a5cb6fdf2292e61d411315549391a0d1f64e4e3097e  
324a7a3b2e0135f4226ffdd473e4099fd9e477a74230cdc35de69e84c0f9d907
```

Remove all unused images from local storage with label version 1.0

```
$ sudo podman image prune -a -f --filter label=version=1.0  
e813d2135f17fadeffea8159a34cfdd4c30b98d8111364b913a91fd930643e9  
5e6572320437022e2746467ddf5b3561bf06e099e8e6361df27e0b2a7ed0b17b  
58fda2abf5042b35dfe04e5f8ee458a3cc26375bf309efb42c078b551a2055c7  
6d2bd30fe924d3414b64bd3920760617e6ced872364bc3bc6959a623252da002  
33d1c829be64a1e1d379caf4feec1f05a892c3ef7aa82c0be53d3c08a96c59c5  
f9f0a8a58c9e02a2b3250b88cc5c95b1e10245ca2c4161d19376580aaa90f55c  
1ef14d5ede80db78978b25ad677fd3e897a578c3af614e1fda608d40c8809707  
45e1482040e441a521953a6da2eca9bafc769e15667a07c23720d6e0cafc3ab2
```

## SEE ALSO

[podman\(1\)](#), [podman-images](#)

## HISTORY

December 2018, Originally compiled by Brent Baude (bbaude at redhat dot com) December 2020, converted filter information from docs.docker.com documentation by Dan Walsh (dwalsh at redhat dot com)

[podman-image-prune\(1\)\(\)](#)