



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-init.1'

\$ man docker-init.1

podman-init(1)() podman-init(1)()

NAME

podman-init - Initialize one or more containers

SYNOPSIS

podman init [options] container [container...]
podman container init [options] container [container...]

DESCRIPTION

Initialize one or more containers. You may use container IDs or names as input. Initializing a container performs all tasks necessary for starting the container (mounting filesystems, creating an OCI spec, initializing the container network) but does not start the container. If a container is not initialized, the podman start and podman run commands will do so automatically prior to starting it. This command is intended to be used for inspecting or modifying the container's filesystem or OCI spec prior to starting it. This can be used to inspect the container before it runs, or debug why a container is failing to run.

OPTIONS

--all, -a

Initialize all containers. Containers that have already initialized (including containers that have been started and are running) are ignored.

--latest, -l

Instead of providing the container name or ID, use the last created container. If you use methods other than Podman to run containers such as CRI-O, the last started container could be from either of those methods. (This option is not available with the remote Pod?)

man client)

EXAMPLE

```
podman init 35480fc9d568
```

```
podman init test1
```

```
podman init --latest
```

SEE ALSO

podman(1), podman-start(1)

HISTORY

April 2019, Originally compiled by Matthew Heon mheon@redhat.com ?mailto:mheon@redhat.com?

podman-init(1)()