



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-kill.1'

\$ man docker-kill.1

podman-kill(1()) podman-kill(1())

NAME

podman-kill - Kill the main process in one or more containers

SYNOPSIS

podman kill [options] [container ...]

podman container kill [options] [container ...]

DESCRIPTION

The main process inside each container specified will be sent SIGKILL, or any signal specified with option --signal.

OPTIONS

--all, -a

Signal all running containers. This does not include paused containers.

--cidfile

Read container ID from the specified file and remove the container. Can be specified multiple times.

--latest, -l

Instead of providing the container name or ID, use the last created container. If you use methods other than Podman to run containers such as CRI-O, the last started container could be from either of those methods. (This option is not available with the remote Podman client)

--signal, -s

Signal to send to the container. For more information on Linux signals, refer to man signal(7).

EXAMPLE

```
podman kill mywebserver
```

```
podman kill 860a4b23
```

```
podman kill --signal TERM 860a4b23
```

```
podman kill --latest
```

```
podman kill --signal KILL -a
```

```
podman kill --cidfile /home/user/cidfile-1
```

```
podman kill --cidfile /home/user/cidfile-1 --cidfile ./cidfile-2
```

SEE ALSO

podman(1), podman-stop(1)

HISTORY

September 2017, Originally compiled by Brent Baude bbaude@redhat.com ?mailto:bbaude@red?

hat.com?

podman-kill(1)()