



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-network-reload.1'

\$ man docker-network-reload.1

podman-network-reload(1)() podman-network-reload(1)()

NAME

podman-network-reload - Reload network configuration for containers

SYNOPSIS

podman network reload [options] [container...]

DESCRIPTION

Reload one or more container network configurations.

Rootfull Podman relies on iptables rules in order to provide network connectivity. If the iptables rules are deleted, this happens for example with firewall-cmd --reload, the container loses network connectivity. This command restores the network connectivity.

OPTIONS

--all, -a

Reload network configuration of all containers.

--latest, -l

Instead of providing the container name or ID, use the last created container. If you use methods other than Podman to run containers such as CRI-O, the last started container could be from either of those methods. (This option is not available with the remote Podman client)

EXAMPLE

Reload the network configuration after a firewall reload.

```
# podman run -p 80:80 -d nginx
```

```
b1b538e8bc4078fc3ee1c95b666ebc7449b9a97bacd15bcbe464a29e1be59c1c
```

```
# curl 127.0.0.1
```

works

```
# sudo firewall-cmd --reload
```

success

```
# curl 127.0.0.1
```

hangs

```
# podman network reload b1b538e8bc40
```

```
b1b538e8bc4078fc3ee1c95b666ebc7449b9a97bacd15bcbe464a29e1be59c1c
```

```
# curl 127.0.0.1
```

works

Reload the network configuration for all containers.

```
# podman network reload --all
```

```
b1b538e8bc4078fc3ee1c95b666ebc7449b9a97bacd15bcbe464a29e1be59c1c
```

```
fe7e8eca56f844ec33af10f0aa3b31b44a172776e3277b9550a623ed5d96e72b
```

SEE ALSO

podman(1), podman-network(1)

HISTORY

December 2020, Originally compiled by Paul Holzinger paul.holzinger@web.de

[?mailto:paul.holzinger@web.de?](mailto:paul.holzinger@web.de)

podman-network-reload(1)()