



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-unmount.1'

\$ man docker-unmount.1

```
podman-unmount(1)()                podman-unmount(1)()
```

NAME

podman-unmount - Unmount a working container's root filesystem

SYNOPSIS

```
podman unmount [options] container [...]  
podman amount [options] container [...]  
podman container unmount [options] container [...]  
podman container amount [options] container [...]
```

DESCRIPTION

Unmounts the specified containers' root file system, if no other processes are using it. Container storage increments a mount counter each time a container is mounted. When a container is unmounted, the mount counter is decremented, and the container's root filesystem is physically unmounted only when the mount counter reaches zero indicating no other processes are using the mount. An unmount can be forced with the --force flag. Note: Podman can be used to unmount Podman containers as well as external containers. External containers are containers created in container/storage by other tools like Buildah and CRI-O.

OPTIONS

--all, -a
All of the currently mounted containers will be unmounted.

--force, -f
Force the unmounting of specified containers' root file system, even if other processes have mounted it.

Note: This could cause other processes that are using the file system to fail, as the mount point could be removed without their knowledge.

`--latest, -l`

Instead of providing the container name or ID, use the last created container. If you use methods other than Podman to run containers such as CRI-O, the last started container could be from either of those methods. (This option is not available with the remote Podman client)

EXAMPLE

```
podman container unmount containerID
```

```
podman unmount containerID1 containerID2 containerID3
```

```
podman unmount --all
```

SEE ALSO

`podman(1)`, `podman-container-mount(1)`, `podman-image-mount(1)`

`podman-unmount(1)()`