



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-volume-inspect.1'

\$ man docker-volume-inspect.1

```
podman-volume-inspect(1)()                podman-volume-inspect(1)()
```

NAME

podman-volume-inspect - Get detailed information on one or more volumes

SYNOPSIS

```
podman volume inspect [options] volume [...]
```

DESCRIPTION

Display detailed information on one or more volumes. The output can be formatted using the `--format` flag and a Go template. To get detailed information about all the existing volumes, use the `--all` flag. Volumes can be queried individually by providing their full name or a unique partial name.

OPTIONS

`--all, -a`

Inspect all volumes.

`--format=format, -f`

Format volume output using Go template

`--help`

Print usage statement

EXAMPLES

```
$ podman volume inspect myvol
```

```
$ podman volume inspect --all
```

```
$ podman volume inspect --format "{{.Driver}} {{.Scope}}" myvol
```

SEE ALSO

podman(1), podman-volume(1), podman-inspect(1)

HISTORY

November 2018, Originally compiled by Urvashi Mohnani umohnani@redhat.com
[?mailto:umohnani@redhat.com?](mailto:umohnani@redhat.com)

```
podman-volume-inspect(1)()
```