



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'docker-volume-prune.1'

\$ man docker-volume-prune.1

podman-volume-prune(1)() podman-volume-prune(1)()

NAME

podman-volume-prune - Remove all unused volumes

SYNOPSIS

podman volume prune [options]

DESCRIPTION

Removes unused volumes. By default all unused volumes will be removed, the --filter flag can be used to filter specific volumes. You will be prompted to confirm the removal of all the unused volumes. To bypass the confirmation, use the --force flag.

OPTIONS

--force, -f

Do not prompt for confirmation.

--filter

Filter volumes to be pruned. Volumes can be filtered by the following attributes:

??

?Filter ? Description ?

??

?label ? [Key] or [Key=Value] Label as? ?

? ? signed to a volume ?

??

?until ? Only remove volumes created be? ?

? ? fore given timestamp ?

??

--help

Print usage statement

EXAMPLES

```
$ podman volume prune
```

```
$ podman volume prune --force
```

```
$ podman volume prune --filter label=mylabel=mylabelvalue
```

SEE ALSO

podman-volume(1)

HISTORY

November 2018, Originally compiled by Urvashi Mohnani umohnani@redhat.com

[?mailto:umohnani@redhat.com?](mailto:umohnani@redhat.com)

podman-volume-prune(1)()