

# Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

# Rocky Enterprise Linux 9.2 Manual Pages on command 'dpkg-distaddfile.1'

# \$ man dpkg-distaddfile.1

dpkg-distaddfile(1)

dpkg suite

dpkg-distaddfile(1)

### NAME

dpkg-distaddfile - add entries to debian/files

#### **SYNOPSIS**

dpkg-distaddfile [option...] filename section priority

#### DESCRIPTION

dpkg-distaddfile adds an entry for a named file to debian/files.

It takes three non-option arguments, the filename and the section and priority for the .changes file.

The filename should be specified relative to the directory where dpkg-genchanges will expect to find the files, usually ..., rather than being a pathname relative to the current directory when dpkg-distaddfile is run.

# OPTIONS

#### -ffiles-list-file

Read or write the list of files to be uploaded here, rather than using debian/files.

Show the usage message and exit.

--version

Show the version and exit.

# ENVIRONMENT

#### DPKG\_COLORS

Sets the color mode (since dpkg 1.18.5). The currently accepted values are: auto (default), always and never.

#### DPKG\_NLS

If set, it will be used to decide whether to activate Native Language Support, also known as internationalization (or i18n) support (since dpkg 1.19.0). The accepted values are: 0 and 1 (default).

# FILES

debian/files

The list of generated files which are part of the upload being prepared. dpkgdistaddfile can be used to add additional files.

SEE ALSO

deb-src-files(5).

1.21.1

2024-02-23

dpkg-distaddfile(1)