



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'getprotobyname_r.3'

\$ man getprotobyname_r.3

GETPROTOENT_R(3) Linux Programmer's Manual GETPROTOENT_R(3)

NAME

getprotoent_r, getprotobyname_r, getprotobyname_r - get protocol entry (reentrant)

SYNOPSIS

```
#include <netdb.h>

int getprotoent_r(struct protoent *result_buf, char *buf,
                 size_t buflen, struct protoent **result);

int getprotobyname_r(const char *name,
                    struct protoent *result_buf, char *buf,
                    size_t buflen, struct protoent **result);

int getprotobyname_r(int proto,
                    struct protoent *result_buf, char *buf,
                    size_t buflen, struct protoent **result);
```

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

getprotoent_r(), getprotobyname_r(), getprotobyname_r():

Since glibc 2.19:

 _DEFAULT_SOURCE

Glibc 2.19 and earlier:

 _BSD_SOURCE || _SVID_SOURCE

DESCRIPTION

The getprotoent_r(), getprotobyname_r(), and getprotobyname_r() functions are the reentrant equivalents of, respectively, getprotoent(3), getprotobyname(3), and getprotobyname(3). They differ in the way that the protoent structure is returned, and in the func?

tion calling signature and return value. This manual page describes just the differences from the nonreentrant functions.

Instead of returning a pointer to a statically allocated protoent structure as the function result, these functions copy the structure into the location pointed to by result_buf.

The buf array is used to store the string fields pointed to by the returned protoent structure. (The nonreentrant functions allocate these strings in static storage.) The size of this array is specified in buflen. If buf is too small, the call fails with the error ERANGE, and the caller must try again with a larger buffer. (A buffer of length 1024 bytes should be sufficient for most applications.)

If the function call successfully obtains a protocol record, then *result is set pointing to result_buf; otherwise, *result is set to NULL.

RETURN VALUE

On success, these functions return 0. On error, they return one of the positive error numbers listed in ERRORS.

On error, record not found (getprotobyname_r(), getprotobynumber_r()), or end of input (getprotoent_r()) result is set to NULL.

ERRORS

ENOENT (getprotoent_r()) No more records in database.

ERANGE buf is too small. Try again with a larger buffer (and increased buflen).

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?getprotoent_r(), ? Thread safety ? MT-Safe locale ?

?getprotobyname_r(), ? ? ?

?getprotobynumber_r() ? ? ?

??

CONFORMING TO

These functions are GNU extensions. Functions with similar names exist on some other systems, though typically with different calling signatures.

EXAMPLES

The program below uses `getprotobyname_r()` to retrieve the protocol record for the protocol named in its first command-line argument. If a second (integer) command-line argument is supplied, it is used as the initial value for `buflen`; if `getprotobyname_r()` fails with the error `ERANGE`, the program retries with larger buffer sizes. The following shell session shows a couple of sample runs:

```
$ ./a.out tcp 1
ERANGE! Retrying with larger buffer
getprotobyname_r() returned: 0 (success) (buflen=78)
p_name=tcp; p_proto=6; aliases=TCP

$ ./a.out xxx 1
ERANGE! Retrying with larger buffer
getprotobyname_r() returned: 0 (success) (buflen=100)
Call failed/record not found
```

Program source

```
#define _GNU_SOURCE
#include <ctype.h>
#include <netdb.h>
#include <stdlib.h>
#include <stdio.h>
#include <errno.h>
#include <string.h>
#define MAX_BUF 10000
int
main(int argc, char *argv[])
{
    int buflen, erange_cnt, s;
    struct protoent result_buf;
    struct protoent *result;
    char buf[MAX_BUF];
    if (argc < 2) {
        printf("Usage: %s proto-name [buflen]\n", argv[0]);
        exit(EXIT_FAILURE);
    }
```

```

buflen = 1024;
if (argc > 2)
    buflen = atoi(argv[2]);
if (buflen > MAX_BUF) {
    printf("Exceeded buffer limit (%d)\n", MAX_BUF);
    exit(EXIT_FAILURE);
}
erange_cnt = 0;
do {
    s = getprotobyname_r(argv[1], &result_buf,
        buf, buflen, &result);
    if (s == ERANGE) {
        if (erange_cnt == 0)
            printf("ERANGE! Retrying with larger buffer\n");
        erange_cnt++;
        /* Increment a byte at a time so we can see exactly
            what size buffer was required */
        buflen++;
        if (buflen > MAX_BUF) {
            printf("Exceeded buffer limit (%d)\n", MAX_BUF);
            exit(EXIT_FAILURE);
        }
    }
} while (s == ERANGE);
printf("getprotobyname_r() returned: %s (buflen=%d)\n",
    (s == 0) ? "0 (success)" : (s == ENOENT) ? "ENOENT" :
    strerror(s), buflen);
if (s != 0 || result == NULL) {
    printf("Call failed/record not found\n");
    exit(EXIT_FAILURE);
}
printf("p_name=%s; p_proto=%d; aliases=",
    result_buf.p_name, result_buf.p_proto);

```

```
for (char **p = result_buf.p_aliases; *p != NULL; p++)
    printf("%s ", *p);
printf("\n");
exit(EXIT_SUCCESS);
}
```

SEE ALSO

getprotoent(3), protocols(5)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2020-11-01

GETPROTOENT_R(3)