

Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'getpw.3'

\$ man getpw.3

```
GETPW(3)
                          Linux Programmer's Manual
                                                                    GETPW(3)
NAME
    getpw - reconstruct password line entry
SYNOPSIS
   #define _GNU_SOURCE
                                  /* See feature_test_macros(7) */
   #include <sys/types.h>
   #include <pwd.h>
   int getpw(uid t uid, char *buf);
DESCRIPTION
```

The getpw() function reconstructs the password line entry for the given user ID uid in the

buffer buf. The returned buffer contains a line of format

name:passwd:uid:gid:gecos:dir:shell

The passwd structure is defined in <pwd.h> as follows:

```
struct passwd {
                       /* username */
  char *pw_name;
                        /* user password */
  char *pw passwd;
                     /* user ID */
  uid_t pw_uid;
  gid_t pw_gid;
                     /* group ID */
  char *pw_gecos;
                       /* user information */
  char *pw_dir;
                     /* home directory */
  char *pw_shell;
                      /* shell program */
};
```

RETURN VALUE

The getpw() function returns 0 on success; on error, it returns -1, and errno is set to indicate the error.

If uid is not found in the password database, getpw() returns -1, sets errno to 0, and leaves buf unchanged.

ERRORS

0 or ENOENT

No user corresponding to uid.

EINVAL buf is NULL.

ENOMEM Insufficient memory to allocate passwd structure.

FILES

/etc/passwd

password database file

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

?Interface ? Attribute ? Value ?

?getpw() ? Thread safety ? MT-Safe locale ?

CONFORMING TO

SVr2.

BUGS

The getpw() function is dangerous as it may overflow the provided buffer buf. It is obso? letted by getpwuid(3).

SEE ALSO

endpwent(3), fgetpwent(3), getpwent(3), getpwnam(3), getpwuid(3), putpwent(3), setp? went(3), passwd(5)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at https://www.kernel.org/doc/man-pages/.