



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'getrpcbynumber_r.3'

\$ man getrpcbynumber_r.3

GETRPCENT_R(3)

Linux Programmer's Manual

GETRPCENT_R(3)

NAME

getrpcent_r, getrpcbyname_r, getrpcbynumber_r - get RPC entry (reentrant)

SYNOPSIS

```
#include <netdb.h>

int getrpcent_r(struct rpcent *result_buf, char *buf,
                 size_t buflen, struct rpcent **result);

int getrpcbyname_r(const char *name,
                   struct rpcent *result_buf, char *buf,
                   size_t buflen, struct rpcent **result);

int getrpcbynumber_r(int number,
                     struct rpcent *result_buf, char *buf,
                     size_t buflen, struct rpcent **result);
```

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

getrpcent_r(), getrpcbyname_r(), getrpcbynumber_r():

Since glibc 2.19:

_DEFAULT_SOURCE

Glibc 2.19 and earlier:

_BSD_SOURCE || _SVID_SOURCE

DESCRIPTION

The `getrpcent_r()`, `getrpcbyname_r()`, and `getrpcbynumber_r()` functions are the reentrant equivalents of, respectively, `getrpcent(3)`, `getrpcbyname(3)`, and `getrpcbynumber(3)`. They differ in the way that the `rpcent` structure is returned, and in the function calling `sig?`

nature and return value. This manual page describes just the differences from the non-reentrant functions.

Instead of returning a pointer to a statically allocated `rpcent` structure as the function result, these functions copy the structure into the location pointed to by `result_buf`.

The `buf` array is used to store the string fields pointed to by the returned `rpcent` structure. (The nonreentrant functions allocate these strings in static storage.) The size of this array is specified in `buflen`. If `buf` is too small, the call fails with the error `ERANGE`, and the caller must try again with a larger buffer. (A buffer of length 1024 bytes should be sufficient for most applications.)

If the function call successfully obtains an RPC record, then `*result` is set pointing to `result_buf`; otherwise, `*result` is set to `NULL`.

RETURN VALUE

On success, these functions return 0. On error, they return one of the positive error numbers listed in ERRORS.

On error, record not found (`getrpcbyname_r()`, `getrpcbynumber_r()`), or end of input (`getrpcent_r()`) `result` is set to `NULL`.

ERRORS

`ENOENT` (`getrpcent_r()`) No more records in database.

`ERANGE` `buf` is too small. Try again with a larger buffer (and increased `buflen`).

ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

???

?Interface ? Attribute ? Value ?

???

?`getrpcent_r()`, ? Thread safety ? MT-Safe locale ?

?`getrpcbyname_r()`, ? ? ?

?`getrpcbynumber_r()` ? ? ?

???

CONFORMING TO

These functions are GNU extensions. Functions with similar names exist on some other systems, though typically with different calling signatures.

SEE ALSO

`getrpcent(3)`, `rpc(5)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

GNU

2017-09-15

GETRPCENT_R(3)