



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'git-check-mailmap.1'

\$ man git-check-mailmap.1

GIT-CHECK-MAILMAP(1) Git Manual GIT-CHECK-MAILMAP(1)

NAME

git-check-mailmap - Show canonical names and email addresses of contacts

SYNOPSIS

git check-mailmap [<options>] <contact>...

DESCRIPTION

For each ?Name <user@host>? or ?<user@host>? from the command-line or standard input (when using --stdin), look up the person?s canonical name and email address (see "Mapping Authors" below). If found, print them; otherwise print the input as-is.

OPTIONS

--stdin

Read contacts, one per line, from the standard input after exhausting contacts provided on the command-line.

OUTPUT

For each contact, a single line is output, terminated by a newline. If the name is provided or known to the mailmap, ?Name <user@host>? is printed; otherwise only ?<user@host>? is printed.

CONFIGURATION

See mailmap.file and mailmap.blob in git-config(1) for how to specify a custom .mailmap target file or object.

MAPPING AUTHORS

See gitmailmap(5).

GIT

Part of the git(1) suite

Git 2.34.1

07/07/2023

GIT-CHECK-MAILMAP(1)