



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'gtk4-update-icon-cache.1'***

***\$ man gtk4-update-icon-cache.1***

GTK4-UPDATE-ICON-CACHE()

GTK4-UPDATE-ICON-CACHE()

NAME

gtk4-update-icon-cache - Icon theme caching utility

SYNOPSIS

gtk4-update-icon-cache [OPTIONS...] <PATH>

DESCRIPTION

gtk4-update-icon-cache creates mmap(2)-able cache files for icon themes.

It expects to be given the PATH to an icon theme directory containing an index.theme, e.g. /usr/share/icons/hicolor, and writes a icon-theme.cache containing cached information about the icons in the directory tree below the given directory.

GTK can use the cache files created by gtk4-update-icon-cache to avoid a lot of system call and disk seek overhead when the application starts. Since the format of the cache files allows them to be shared across multiple processes, for instance using the POSIX mmap(2) system call, the overall memory consumption is reduced as well.

OPTIONS

-f, --force

Overwrite an existing cache file even if it appears to be up-to-date.

-t, --ignore-theme-index

Don't check for the existence of index.theme in the icon theme directory. Without this option, `gtk4-update-icon-cache` refuses to create an icon cache in a directory which does not appear to be the toplevel directory of an icon theme.

-i, --index-only

Don't include image data in the cache.

--include-image-data

Include image data in the cache.

-c, --source <NAME>

Output a C header file declaring a constant NAME with the contents of the icon cache.

-q, --quiet

Turn off verbose output.

-v, --validate

Validate existing icon cache.

GTK4-UPDATE-ICON-CACHE()