

Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ip6tables-legacy-save.8'

\$ man ip6tables-legacy-save.8

XTABLES-LEGACY(8)

System Manager's Manual

XTABLES-LEGACY(8)

NAME

xtables-legacy? iptables using old getsockopt/setsockopt-based kernel api

DESCRIPTION

xtables-legacy are the original versions of iptables that use old getsockopt/setsockopt-based kernel interface. This kernel interface has some limitations, therefore iptables can also be used with the newer nf_tables based API. See xtables-nft(8) for information about the xtables-nft variants of iptables.

USAGE

The xtables-legacy-multi binary can be linked to the traditional names:

/sbin/iptables -> /sbin/iptables-legacy-multi

/sbin/ip6tables -> /sbin/ip6tables-legacy-multi

/sbin/iptables-save -> /sbin/ip6tables-legacy-multi

/sbin/iptables-restore -> /sbin/ip6tables-legacy-multi

The iptables version string will indicate whether the legacy API (get/setsockopt) or the new nf_tables API is used:

iptables -V

iptables v1.7 (legacy) Page 1/2

LIMITATIONS

When inserting a rule using iptables -A or iptables -I, iptables first needs to retrieve

the current active ruleset, change it to include the new rule, and then commit back the

result. This means that if two instances of iptables are running concurrently, one of the

updates might be lost. This can be worked around partially with the --wait option.

There is also no method to monitor changes to the ruleset, except periodically calling

iptables-legacy-save and checking for any differences in output.

xtables-monitor(8) will need the xtables-nft(8) versions to work, it cannot display

changes made using the iptables-legacy tools.

SEE ALSO

xtables-nft(8), xtables-translate(8)

AUTHORS

Rusty Russell originally wrote iptables, in early consultation with Michael Neuling.

June 2018

XTABLES-LEGACY(8)