



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'iscsi_discovery.8'

\$ man iscsi_discovery.8

iscsi_discovery(8) System Manager's Manual iscsi_discovery(8)

NAME

iscsi_discovery - discover iSCSI targets

SYNOPSIS

iscsi_discovery <IP> [-p <port>] [-d] [-t <tcp|iser> [-f]] [-m] [-l]

DESCRIPTION

Perform `send-targets` discovery to the specified IP. If a discovery record is generated, try to login to the portal using the preferred transport (`-t` flag specifies the requested transport type, `TCP` is the default). If login using a certain transport succeeds, mark the portal for automatic login (unless `-m` flag is used), and disconnect (unless `-l` flag is used).

For `iSCSI` discovery to work, `open-iscsi` services must be running. i.e. `iscsid` should be up, and the `iSCSI` modules loaded. This is best accomplished by the `init.d` startup script.

`[-p=]`port-number

set the port number (default is 3260).

`[-d]` print debugging information.

`[-t=]`transport-type

set transport (default is `tcp`).

`[-f]` force specific transport - disable the fallback to `tcp` (default is fallback enabled). force the transport specified by the argument of the `-t` flag.

`[-m]` manual startup - will set manual startup (default is automatic startup).

`[-l]` login - login to the new discovered nodes (default is false).

AUTHOR

Written by Dan Bar Dov

REPORTING BUGS

Report bugs to <erezzi.list@gmail.com>.

COPYRIGHT

Copyright ? Voltaire Ltd. 2006.

iscsi_discovery(8)