



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

***Rocky Enterprise Linux 9.2 Manual Pages on command 'ispell-wrapper.1'***

***\$ man ispell-wrapper.1***

ISPELL-WRAPPER(1) ISPELL-WRAPPER(1)

NAME

ispell-wrapper - smart wrapper for ispell

SYNOPSIS

ispell-wrapper [--emacs=name] [--language=regexp] [--dry-run] [ispell options] file

Options (all long only options):

- emacs=name Set the language to use by emacs dict name
- language=regexp Set the language to use by name
- dry-run Only show what would have done

DESCRIPTION

ispell-wrapper is a wrapper script for ispell intended to be used in a Debian system in conjunction with the infrastructure introduced by the dictionaries-common package. Option --dry-run will show the string to be run without doing anything else.

It automatically sets the -d, -w, and -T options to ispell as a function of the chosen language. Of course, this only works for dictionary packages that comply with the above mentioned Policy.

Here is how the language is defined (in order of priority):

- 1) By matching the emacs dict name given in --emacs option to the name of one of the emacs dicts names provided by installed languages in the system. This match must be exact (although is case insensitive). Note that this will override any value given in the --language option.
- 2) By matching the regexp given in option --language to the list of installed languages in the system.

- 3) By matching the regexp stored in the environment variable ISPELLDEFAULT to the list of installed languages in the system.
- 4) By using the value stored in the user-specific file ~/.ispell-default (use select-default-iwrap(1) to set it).
- 5) By using the value stored in the site-wide file /etc/dictionaries-common/ispell-default (use select-default-ispell(8) as superuser to set it).

Note: regexp matches are case-insensitive and the ISO-8859-1 special characters are transformed into their ASCII equivalents. German ess-zet is equivalent to the character "s" and the ae ligature to the character "e".

## EXAMPLE

Let us say that the following dictionaries are installed in the system (as appearing in the Debconf question at installation time):

- castellano (Spanish TeX mode)
- castellano8 (Spanish 8 bit)
- portugu?s (European Portuguese)
- portugu?s brasileiro (Brazilian Portuguese)

Choosing the regexp (either in the --language option or in the environment variable ISPELLDEFAULT) to be "span" will yield an error, since two languages will match ("castellano" and "castellano8"). However, if the regexp is "span.\*8", the language "castellano8 (Spanish 8 bit)" will be chosen.

## ENVIRONMENT

### ISPELLDEFAULT

Regexp that matches the name of the default language to use, if no --language option is given.

## FILES

\$HOME/.ispell-default

Contains the name of the language to use, if no --language option is given or if the ISPELLDEFAULT environment variable is not set. This is a user-specific choice.

/etc/dictionaries-common/ispell-default

Name of the language to use when everything above is not set. This is a system-wide setting.

## SEE ALSO

select-default-ispell(8), select-default-iwrap(1)

## AUTHORS

Rafael Laboissiere

1.28.14

2021-12-02

ISPELL-WRAPPER(1)