

Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'jinfo.1'

\$ man jinfo.1

JINFO(1)

JDK Commands

JINFO(1)

NAME

jinfo - generate Java configuration information for a specified Java process

SYNOPSIS

Note: This command is experimental and unsupported.

jinfo [option] pid

option This represents the jinfo command-line options. See Options for the jinfo Command.

pid The process ID for which the configuration information is to be printed. The process must be a Java process. To get a list of Java processes running on a ma? chine, use either the ps command or, if the JVM processes are not running in a sep? arate docker instance, the jps command.

DESCRIPTION

The jinfo command prints Java configuration information for a specified Java process. The configuration information includes Java system properties and JVM command-line flags. If the specified process is running on a 64-bit JVM, then you might need to specify the -J-d64 option, for example:

jinfo -J-d64 -sysprops pid

This command is unsupported and might not be available in future releases of the JDK. In Windows Systems where dbgeng.dll is not present, the Debugging Tools for Windows must be installed to have these tools work. The PATH environment variable should contain the lo? cation of the jvm.dll that's used by the target process or the location from which the core dump file was produced.

Note:

If none of the following options are used, both the command-line flags and the system property name-value pairs are printed.

-flag name

Prints the name and value of the specified command-line flag.

-flag [+|-]name

Enables or disables the specified Boolean command-line flag.

-flag name=value

Sets the specified command-line flag to the specified value.

-flags Prints command-line flags passed to the JVM.

-sysprops

Prints Java system properties as name-value pairs.

-h or -help

Prints a help message.

JDK 21 2023 JINFO(1)