



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'listxattr.2'

\$ man listxattr.2

LISTXATTR(2) Linux Programmer's Manual LISTXATTR(2)

NAME

listxattr, llistxattr, flistxattr - list extended attribute names

SYNOPSIS

```
#include <sys/types.h>
#include <sys/xattr.h>

ssize_t listxattr(const char *path, char *list, size_t size);
ssize_t llistxattr(const char *path, char *list, size_t size);
ssize_t flistxattr(int fd, char *list, size_t size);
```

DESCRIPTION

Extended attributes are name:value pairs associated with inodes (files, directories, symbolic links, etc.). They are extensions to the normal attributes which are associated with all inodes in the system (i.e., the stat(2) data). A complete overview of extended attributes concepts can be found in xattr(7).

listxattr() retrieves the list of extended attribute names associated with the given path in the filesystem. The retrieved list is placed in list, a caller-allocated buffer whose size (in bytes) is specified in the argument size. The list is the set of (null-terminated) names, one after the other. Names of extended attributes to which the calling process does not have access may be omitted from the list. The length of the attribute name list is returned.

llistxattr() is identical to listxattr(), except in the case of a symbolic link, where the list of names of extended attributes associated with the link itself is retrieved, not the file that it refers to.

`flistxattr()` is identical to `listxattr()`, only the open file referred to by `fd` (as returned by `open(2)`) is interrogated in place of `path`.

A single extended attribute name is a null-terminated string. The name includes a namespace prefix; there may be several, disjoint namespaces associated with an individual inode.

If `size` is specified as zero, these calls return the current size of the list of extended attribute names (and leave `list` unchanged). This can be used to determine the size of the buffer that should be supplied in a subsequent call. (But, bear in mind that there is a possibility that the set of extended attributes may change between the two calls, so that it is still necessary to check the return status from the second call.)

Example

The list of names is returned as an unordered array of null-terminated character strings (attribute names are separated by null bytes (`'\0'`)), like this:

```
user.name1\0system.name1\0user.name2\0
```

Filesystems that implement POSIX ACLs using extended attributes might return a list like this:

```
system.posix_acl_access\0system.posix_acl_default\0
```

RETURN VALUE

On success, a nonnegative number is returned indicating the size of the extended attribute name list. On failure, `-1` is returned and `errno` is set appropriately.

ERRORS

E2BIG The size of the list of extended attribute names is larger than the maximum size allowed; the list cannot be retrieved. This can happen on filesystems that support an unlimited number of extended attributes per file such as XFS, for example. See **BUGS**.

ENOTSUP

Extended attributes are not supported by the filesystem, or are disabled.

ERANGE The size of the list buffer is too small to hold the result.

In addition, the errors documented in `stat(2)` can also occur.

VERSIONS

These system calls have been available on Linux since kernel 2.4; glibc support is provided since version 2.3.

CONFORMING TO

These system calls are Linux-specific.

BUGS

As noted in `xattr(7)`, the VFS imposes a limit of 64 kB on the size of the extended attribute name list returned by `listxattr(7)`. If the total size of attribute names attached to a file exceeds this limit, it is no longer possible to retrieve the list of attribute names.

EXAMPLES

The following program demonstrates the usage of `listxattr()` and `getxattr(2)`. For the file whose pathname is provided as a command-line argument, it lists all extended file attributes and their values.

To keep the code simple, the program assumes that attribute keys and values are constant during the execution of the program. A production program should expect and handle changes during execution of the program. For example, the number of bytes required for attribute keys might increase between the two calls to `listxattr()`. An application could handle this possibility using a loop that retries the call (perhaps up to a predetermined maximum number of attempts) with a larger buffer each time it fails with the error `ERANGE`. Calls to `getxattr(2)` could be handled similarly.

The following output was recorded by first creating a file, setting some extended file attributes, and then listing the attributes with the example program.

Example output

```
$ touch /tmp/foo
$ setfattr -n user.fred -v chocolate /tmp/foo
$ setfattr -n user.frieda -v bar /tmp/foo
$ setfattr -n user.empty /tmp/foo
$ ./listxattr /tmp/foo
user.fred: chocolate
user.frieda: bar
user.empty: <no value>
```

Program source (listxattr.c)

```
#include <malloc.h>
#include <stdio.h>
#include <stdlib.h>
#include <string.h>
```

```

#include <sys/types.h>
#include <sys/xattr.h>

int
main(int argc, char *argv[])
{
    ssize_t buflen, keylen, vallen;
    char *buf, *key, *val;
    if (argc != 2) {
        fprintf(stderr, "Usage: %s path\n", argv[0]);
        exit(EXIT_FAILURE);
    }
    /*
     * Determine the length of the buffer needed.
     */
    buflen = listxattr(argv[1], NULL, 0);
    if (buflen == -1) {
        perror("listxattr");
        exit(EXIT_FAILURE);
    }
    if (buflen == 0) {
        printf("%s has no attributes.\n", argv[1]);
        exit(EXIT_SUCCESS);
    }
    /*
     * Allocate the buffer.
     */
    buf = malloc(buflen);
    if (buf == NULL) {
        perror("malloc");
        exit(EXIT_FAILURE);
    }
    /*
     * Copy the list of attribute keys to the buffer.

```

```

*/
buflen = listxattr(argv[1], buf, buflen);
if (buflen == -1) {
    perror("listxattr");
    exit(EXIT_FAILURE);
}
/*
 * Loop over the list of zero terminated strings with the
 * attribute keys. Use the remaining buffer length to determine
 * the end of the list.
 */
key = buf;
while (buflen > 0) {
    /*
     * Output attribute key.
     */
    printf("%s: ", key);
    /*
     * Determine length of the value.
     */
    vallen = getxattr(argv[1], key, NULL, 0);
    if (vallen == -1)
        perror("getxattr");
    if (vallen > 0) {
        /*
         * Allocate value buffer.
         * One extra byte is needed to append 0x00.
         */
        val = malloc(vallen + 1);
        if (val == NULL) {
            perror("malloc");
            exit(EXIT_FAILURE);
        }
    }
}

```

```

/*
 * Copy value to buffer.
 */
vallen = getxattr(argv[1], key, val, vallen);
if (vallen == -1)
    perror("getxattr");
else {
    /*
     * Output attribute value.
     */
    val[vallen] = 0;
    printf("%s", val);
}
free(val);
} else if (vallen == 0)
    printf("<no value>");
printf("\n");
/*
 * Forward to next attribute key.
 */
keylen = strlen(key) + 1;
buflen -= keylen;
key += keylen;
}
free(buf);
exit(EXIT_SUCCESS);
}

```

SEE ALSO

[getfattr\(1\)](#), [setfattr\(1\)](#), [getxattr\(2\)](#), [open\(2\)](#), [removexattr\(2\)](#), [setxattr\(2\)](#), [stat\(2\)](#), [sym?](#)
[link\(7\)](#), [xattr\(7\)](#)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be

found at <https://www.kernel.org/doc/man-pages/>.

Linux

2020-06-09

LISTXATTR(2)