

Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'lprm.1'

\$ man lprm.1

lprm(1) OpenPrinting lprm(1)

NAME

lprm - cancel print jobs

SYNOPSIS

lprm [-E] [-U username][-h server[:port]][-P destination[/instance]][-][
job-id(s)]

DESCRIPTION

Iprm cancels print jobs that have been queued for printing. If no arguments are supplied, the current job on the default destination is canceled. You can specify one or more job ID numbers to cancel those jobs or use the - option to cancel all jobs.

OPTIONS

The lprm command supports the following options:

- -E Forces encryption when connecting to the server.
- -P destination[/instance]

Specifies the destination printer or class.

-U username

Specifies an alternate username.

-h server[:port]

Specifies an alternate server.

CONFORMING TO

The CUPS version of lprm is compatible with the standard Berkeley command of the same name.

EXAMPLES Page 1/2

Cancel the current job on the default printer:

|prm |
| Cancel job 1234:
|prm 1234 |
| Cancel all jobs:
|prm | SEE ALSO |
| cancel(1), |p(1), |pq(1), |pr(1), |pstat(1), CUPS Online Help (http://localhost:631/help)
| COPYRIGHT |
| Copyright ? 2021-2022 by OpenPrinting.

lprm(1)

CUPS

2021-02-28