



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'make-ssl-cert.8'

\$ man make-ssl-cert.8

make-ssl-cert(8) System Manager's Manual make-ssl-cert(8)

NAME

make-ssl-cert - Debconf wrapper for openssl

SYNOPSIS

make-ssl-cert [OPTION]... template output-certificate

make-ssl-cert [OPTION]... generate-default-snakeoil

DESCRIPTION

make-ssl-cert is a simple debconf to openssl wrapper to create self-signed certificates.

It requires a source template (Ex: /usr/share/ssl-cert/ssleay.cnf) and it will place the new generated certificate in the specified output file.

Invoked with "generate-default-snakeoil", it will generate /etc/ssl/certs/ssl-cert-snakeoil.pem and /etc/ssl/private/ssl-cert-snakeoil.key.

OPTIONS

A summary of options are included below.

--force-overwrite

Always create a new certificate, even if the file already exists. For backwards compatibility with 1.0.x, this option can be given as last argument, too.

--no-overwrite

Never overwrite an existing file, even if the old certificate's key length is too small or if it uses an obsolete signature algorithm.

--expiration-days N

Make the new certificate expire in N days. Default is 3650.

SEE ALSO

openssl(1)

AUTHOR

The program author is Thom May <thom@debian.org>, manual page was written for completeness by Fabio M. Di Nitto <fabbione@fabbione.net>, for the Debian GNU/Linux system (but may be used by others).

make-ssl-cert(8)