



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'modff.3'

\$ man modff.3

MODF(3) Linux Programmer's Manual MODF(3)

NAME

modf, modff, modfl - extract signed integral and fractional values from floating-point number

SYNOPSIS

```
#include <math.h>

double modf(double x, double *iptr);

float modff(float x, float *iptr);

long double modfl(long double x, long double *iptr);
```

Link with -lm.

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

```
modff(), modfl():

    _ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L

    /* Since glibc 2.19: */ _DEFAULT_SOURCE

    /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

DESCRIPTION

These functions break the argument *x* into an integral part and a fractional part, each of which has the same sign as *x*. The integral part is stored in the location pointed to by *iptr*.

RETURN VALUE

These functions return the fractional part of *x*.

If *x* is a NaN, a NaN is returned, and **iptr* is set to a NaN.

If *x* is positive infinity (negative infinity), +0 (-0) is returned, and **iptr* is set to

positive infinity (negative infinity).

ERRORS

No errors occur.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

??

?Interface ? Attribute ? Value ?

??

?modf(), modff(), modfl() ? Thread safety ? MT-Safe ?

??

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD, C89.

SEE ALSO

frexp(3), ldexp(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

2017-09-15

MODF(3)