



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'npm-logout.1'

\$ man npm-logout.1

NPM-LOGOUT(1)

NPM-LOGOUT(1)

NAME

npm-logout - Log out of the registry

Synopsis

```
npm logout [--registry=<url>] [--scope=<@scope>]
```

Note: This command is unaware of workspaces.

Description

When logged into a registry that supports token-based authentication, tell the server to end this token's session. This will invalidate the token everywhere you're using it, not just for the current environment.

When logged into a legacy registry that uses username and password authentication, this will clear the credentials in your user configuration. In this case, it will only affect the current environment.

If --scope is provided, this will find the credentials for the registry connected to that scope, if set.

Configuration

```
<!-- AUTOGENERATED CONFIG DESCRIPTIONS START --> <!-- automatically generated, do not edit manually --> <!-- see lib/utis/config/definitions.js -->
```

registry

? Default: "https://registry.npmjs.org/"

? Type: URL

The base URL of the npm registry. <!-- automatically generated, do not edit manually -->

<!-- see lib/utis/config/definitions.js -->

scope

? Default: the scope of the current project, if any, or ""

? Type: String

Associate an operation with a scope for a scoped registry.

Useful when logging in to or out of a private registry:

```
# log in, linking the scope to the custom registry
```

```
npm login --scope=@mycorp --registry=https://registry.mycorp.com
```

```
# log out, removing the link and the auth token
```

```
npm logout --scope=@mycorp
```

This will cause @mycorp to be mapped to the registry for future installation of packages specified according to the pattern @mycorp/package.

This will also cause npm init to create a scoped package.

```
# accept all defaults, and create a package named "@foo/whatever",
```

```
# instead of just named "whatever"
```

```
npm init --scope=@foo --yes
```

```
<!-- automatically generated, do not edit manually --> <!-- see lib/utils/config/defini?
```

```
tions.js -->
```

```
<!-- AUTOGENERATED CONFIG DESCRIPTIONS END -->
```

See Also

? npm help adduser

? npm help registry

? npm help config

? npm help whoami

undefined NaN

NPM-LOGOUT(1)