



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ntfsls.8'

\$ man ntfsls.8

NTFSLS(8) System Manager's Manual NTFSLS(8)

NAME

ntfsls - list directory contents on an NTFS filesystem

SYNOPSIS

```
ntfsls [options] device  
ntfsls [-a | --all] [-F | --classify] [-f | --force] [-h | --help] [-i | --inode]  
[-l | --long] [-p | --path PATH] [-q | --quiet] [-s | --system] [-V | --version]  
[-v | --verbose] [-x | --dos] device
```

DESCRIPTION

ntfsls is used to list information about the files specified by the PATH option (the root directory by default). DEVICE is the special file corresponding to the device (e.g. /dev/hdXX) or an NTFS image file.

OPTIONS

Below is a summary of all the options that ntfsls accepts. Nearly all options have two equivalent names. The short name is preceded by - and the long name is preceded by --. Any single letter options, that don't take an argument, can be combined into a single command, e.g. -fv is equivalent to -f -v. Long named options can be abbreviated to any unique prefix of their name.

-a, --all

Display all files. If this option is not specified file names in the POSIX name? space will not be displayed.

-F, --classify

Append indicator (one of */=@|) to entries.

-f, --force

Force execution. For example necessary to run on an NTFS partition stored in a normal file.

-h, --help

Print the usage information of ntfsls and exit.

-i, --inode

Print inode number of each file. This is the MFT reference number in NTFS terminology.

-l, --long

Use a long listing format.

-p, --path PATH

The directory whose contents to list or the file (including the path) about which to display information.

-q, --quiet

Suppress some debug/warning/error messages.

-R, --recursive

Show the contents of all directories beneath the specified directory.

-s, --system

Unless this options is specified, all files beginning with a dollar sign character will not be listed as these files are usually system files.

-v, --verbose

Display more debug/warning/error messages.

-V, --version

Print the version number of ntfsls and exit.

-x, --dos

Display short file names, i.e. files in the DOS namespace, instead of long file names, i.e. files in the WIN32 namespace.

BUGS

There are no known problems with ntfsls. If you find a bug please send an email describing the problem to the development team:

ntfs-3g-devel@lists.sf.net

AUTHORS

This version of ntfsls was written by Lode Leroy, Anton Altaparmakov, Richard Russon,

Carmelo Kintana and Giang Nguyen. It was ported to ntfs-3g by Erik Larsson.

AVAILABILITY

ntfs is part of the ntfs-3g package and is available from:

<https://github.com/tuxera/ntfs-3g/wiki/>

SEE ALSO

ntfsprogs(8)

ntfs-3g 2021.8.22

November 2005

NTFSLS(8)