



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ntfsundelete.8'

\$ man ntfsundelete.8

NTFSUNDELETE(8) System Manager's Manual NTFSUNDELETE(8)

NAME

ntfsundelete - recover a deleted file from an NTFS volume.

SYNOPSIS

ntfsundelete [options] device

DESCRIPTION

ntfsundelete has three modes of operation: scan, undelete and copy.

Scan

The default mode, scan simply reads an NTFS Volume and looks for files that have been deleted. Then it will print a list giving the inode number, name and size.

Undelete

The undelete mode takes the files either matching the regular expression (option -m) or specified by the inode-expressions and recovers as much of the data as possible. It saves the result to another location. Partly for safety, but mostly because NTFS write support isn't finished.

Copy

This is a wizard's option. It will save a portion of the MFT to a file. This probably only be useful when debugging ntfsundelete

Notes

ntfsundelete only ever reads from the NTFS Volume. ntfsundelete will never change the volume.

CAVEATS

Miracles

ntfsundelete cannot perform the impossible.

When a file is deleted the MFT Record is marked as not in use and the bitmap representing the disk usage is updated. If the power isn't turned off immediately, the free space, where the file used to live, may become overwritten. Worse, the MFT Record may be reused for another file. If this happens it is impossible to tell where the file was on disk.

Even if all the clusters of a file are not in use, there is no guarantee that they haven't been overwritten by some short-lived file.

Locale

In NTFS all the filenames are stored as Unicode. They will be converted into the current locale for display by ntfundelete. The utility has successfully displayed some Chinese pictogram filenames and then correctly recovered them.

Extended MFT Records

In rare circumstances, a single MFT Record will not be large enough to hold the metadata describing a file (a file would have to be in hundreds of fragments for this to happen).

In these cases one MFT record may hold the filename, but another will hold the information about the data. ntfundelete will not try and piece together such records. It will simply show unnamed files with data.

Compressed and Encrypted Files

ntfsundelete cannot recover compressed or encrypted files. When scanning for them, it will display as being 0% recoverable.

The Recovered File's Size and Date

To recover a file ntfundelete has to read the file's metadata. Unfortunately, this isn't always intact. When a file is deleted, the metadata can be left in an inconsistent state. e.g. the file size may be zero; the dates of the file may be set to the time it was deleted, or random.

To be safe ntfundelete will pick the largest file size it finds and write that to disk.

It will also try and set the file's date to the last modified date. This date may be the correct last modified date, or something unexpected.

OPTIONS

Below is a summary of all the options that ntfundelete accepts. Nearly all options have two equivalent names. The short name is preceded by - and the long name is preceded by --. Any single letter options, that don't take an argument, can be combined into a single command, e.g. -fv is equivalent to -f -v. Long named options can be abbreviated to any

unique prefix of their name.

-b, --byte NUM

If any clusters of the file cannot be recovered, the missing parts will be filled with this byte. The default is zeros.

-C, --case

When scanning an NTFS volume, any filename matching (using the `--match` option) is case-insensitive. This option makes the matching case-sensitive.

-c, --copy RANGE

This wizard's option will write a block of MFT FILE records to a file. The default file is `mft` which will be created in the current directory. This option can be combined with the `--output` and `--destination` options.

-d, --destination DIR

This option controls where to put the output file of the `--undelete` and `--copy` options.

-f, --force

This will override some sensible defaults, such as not overwriting an existing file. Use this option with caution.

-h, --help

Show a list of options with a brief description of each one.

-i, --inodes RANGE

Recover the files with these inode numbers. RANGE can be a single inode number, several numbers separated by commas `,` or a range separated by a dash `-`.

-m, --match PATTERN

Filter the output by only looking for matching filenames. The pattern can include the wildcards `'?'`, match exactly one character or `'*'`, match zero or more characters. By default the matching is case-insensitive. To make the search case sensitive, use the `--case` option.

-O, --optimistic

Recover parts of the file even if they are currently marked as in use.

-o, --output FILE

Use this option to set name of output file that `--undelete` or `--copy` will create.

-P, --parent

Display the parent directory of a deleted file.

-p, --percentage NUM

Filter the output of the --scan option, by only matching files with a certain amount of recoverable content. Please read the caveats section for more details.

-q, --quiet

Reduce the amount of output to a minimum. Naturally, it doesn't make sense to combine this option with --scan.

-s, --scan

Search through an NTFS volume and print a list of files that could be recovered.

This is the default action of ntfundelete. This list can be filtered by filename, size, percentage recoverable or last modification time, using the --match, --size, --percent and --time options, respectively.

The output of scan will be:

```
Inode  Flags  %age  Date  Time  Size  Filename
6038  FN..   93%  2002-07-17 13:42 26629 thesis.doc
```

??

?Flag Description ?

?F/D File/Directory ?

?N/R (Non-)Resident data stream ?

?C/E Compressed/Encrypted data stream ?

?! Missing attributes ?

??

The percentage field shows how much of the file can potentially be recovered.

-S, --size RANGE

Filter the output of the --scan option, by looking for a particular range of file sizes. The range may be specified as two numbers separated by a '-'. The sizes may be abbreviated using the suffixes k, m, g, t, for kilobytes, megabytes, gigabytes and terabytes respectively.

-t, --time SINCE

Filter the output of the --scan option. Only match files that have been altered since this time. The time must be given as number using a suffix of d, w, m, y for days, weeks, months or years ago.

-T, --truncate

If ntfundelete is confident about the size of a deleted file, then it will restore

the file to exactly that size. The default behaviour is to round up the size to the nearest cluster (which will be a multiple of 512 bytes).

-u, --undelete

Select undelete mode. You can specify the files to be recovered using by using --match or --inodes options. This option can be combined with --output, --destination, and --byte.

When the file is recovered it will be given its original name, unless the --output option is used.

-v, --verbose

Increase the amount of output that ntfundelete prints.

-V, --version

Show the version number, copyright and license for ntfundelete.

EXAMPLES

Look for deleted files on /dev/hda1.

```
ntfsundelete /dev/hda1
```

Look for deleted documents on /dev/hda1.

```
ntfsundelete /dev/hda1 -s -m '*.doc'
```

Look for deleted files between 5000 and 6000000 bytes, with at least 90% of the data recoverable, on /dev/hda1.

```
ntfsundelete /dev/hda1 -S 5k-6m -p 90
```

Look for deleted files altered in the last two days

```
ntfsundelete /dev/hda1 -t 2d
```

Undelete inodes 2, 5 and 100 to 131 of device /dev/sda1

```
ntfsundelete /dev/sda1 -u -i 2,5,100-131
```

Undelete inode number 3689, call the file 'work.doc', set it to recovered size and put it in the user's home directory.

```
ntfsundelete /dev/hda1 -u -T -i 3689 -o work.doc -d ~
```

Save MFT Records 3689 to 3690 to a file 'debug'

```
ntfsundelete /dev/hda1 -c 3689-3690 -o debug
```

BUGS

There are some small limitations to ntfundelete, but currently no known bugs. If you find a bug please send an email describing the problem to the development team:

ntfs-3g-devel@lists.sf.net

AUTHORS

ntfsundelete was written by Richard Russon and Holger Ohmacht, with contributions from Anton Altaparmakov. It was ported to ntfs-3g by Erik Larsson and Jean-Pierre Andre.

AVAILABILITY

ntfsundelete is part of the ntfs-3g package and is available from:

<https://github.com/tuxera/ntfs-3g/wiki/>

SEE ALSO

ntfsinfo(8), ntfsprogs(8)

ntfs-3g 2021.8.22

November 2005

NTFSUNDELETE(8)