



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'oakdecode.1'

\$ man oakdecode.1

oakdecode(1) General Commands Manual oakdecode(1)

NAME

oakdecode - Decode an OAKT printer stream into human readable form.

SYNOPSIS

oakdecode [options] <OAKT-file

DESCRIPTION

oakdecode decodes an OAKT printer stream into human readable form.

An OAKT printer stream is the printer language used by the HP Color LaserJet 1500 and other printers.

COMMAND LINE OPTIONS

These are the options that can appear on the command line.

-d basename

 Basename of .pbm file for saving decompressed planes.

-r basename

 Basename of .jbg file for saving raw planes

-i Suppress display of image records.

-o Print file offsets.

-D level

 Set Debug level [0].

EXAMPLES

Decode an OAKT file created by foo2oak.

```
$ oakdecode < testpage.oak
```

```
0d (80) 1 OTHER
```

0c (64) Wed Nov 05 16:30:50 2003 a07d3 100005 32001e

0a (80) testpage.pdf

14 (16) (no args)

28 (16) Source=Tray1

29 (80) PaperType=0 UNK8=2,0,0,0, blanks(63)

2a (32) Copies=1 UNK=0

2b (32) papercode=25 xwid=4648 ywid=9000 UNK=0

33 (64)

u0	u1	w	h	resx	resy	nBits
x0	x0	2128	4300	600	600	x1

15 (16) (no args)

bih0	w	h	l0	bih5	dlen	plen	unk	yOff	P	subP
------	---	---	----	------	------	------	-----	------	---	------

3c (64) 00010000 2176 256 256 58030020 1050 1056 000 64 3 0

DL = 0, D = 0, P = 1, - = 0, XY = 2176 x 256

L0 = 256, MX = 32, MY = 0

Order = 3 ILEAVE SMID

Options = 88 LRLTWO TPDON TPBON

1 stripes, 0 layers, 1 planes

3c (64) 00010000 2176 256 256 58030020 3668 3680 000 320 3 0

3c (64) 00010000 2176 256 256 58030020 1463 1472 000 640 3 0

3c (64) 00010000 2176 256 256 58030020 1975 1984 000 896 3 0

3c (64) 00010000 2176 224 224 58030020 2744 2752 000 1152 3 0

3c (64) 00010000 2176 256 256 58030020 988 992 000 1440 3 0

3c (64) 00010000 2176 256 256 58030020 2892 2896 000 1696 3 0

3c (64) 00010000 2176 256 256 58030020 3634 3648 000 1952 3 0

3c (64) 00010000 2176 256 256 58030020 3236 3248 000 2208 3 0

3c (64) 00010000 2176 256 256 58030020 2279 2288 000 2464 3 0

3c (64) 00010000 2176 256 256 58030020 3746 3760 000 2720 3 0

3c (64) 00010000 2176 200 200 58030020 2404 2416 000 2976 3 0

3c (64) 00010000 2176 256 256 58030020 3114 3120 000 3240 3 0

3c (64) 00010000 2176 96 96 58030020 1142 1152 000 3496 3 0

3c (64) 00010000 2176 256 256 58030020 2094 2112 000 3752 3 0

3c (64) 00010000 2176 256 256 58030020 1319 1328 000 4008 3 0

3c (64) 00010000 2176 36 36 58030020 208 224 000 4264 3 0

17 (16) (no args)

18 (16) UNK=0

0b (16) (no args)

FILES

`/usr/bin/oakdecode`

SEE ALSO

`foo2oak-wrapper(1)`, `foo2oak(1)`, `jbg2pbm(1)`

AUTHOR

Rick Richardson <rick.richardson@comcast.net>

<http://foo2oak.rkkda.com/>