



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'phar.phar.1'

\$ man phar.phar.1

PHAR(1) User Commands PHAR(1)

NAME

phar, phar.phar - PHAR (PHP archive) command line tool

SYNOPSIS

phar <command> [options] ...

DESCRIPTION

The PHAR file format provides a way to put entire PHP applications into a single file called a "phar" (PHP Archive) for easy distribution and installation.

With the phar command you can create, update or extract PHP archives.

Commands: add compress delete extract help help-list info list meta-del meta-get meta-set
pack sign stub-get stub-set tree version

add command

Add entries to a PHAR package.

Required arguments:

- f file Specifies the phar file to work on.
- ... Any number of input files and directories. If -i is in use then ONLY files and matching the given regular expression are being packed. If -x is given then files matching that regular expression are NOT being packed.

Optional arguments:

- a alias Provide an alias name for the phar file.
- c algo Compression algorithm (see COMPRESSION)
- i regex Specifies a regular expression for input files.
- l level Number of preceding subdirectories to strip from file entries

-x regex Regular expression for input files to exclude.

compress command

Compress or uncompress all files or a selected entry.

Required arguments:

-c algo Compression algorithm (see COMPRESSION)

-f file Specifies the phar file to work on.

Optional arguments:

-e entry Name of entry to work on (must include PHAR internal directory name if any).

delete command

Delete entry from a PHAR archive

Required arguments:

-e entry Name of entry to work on (must include PHAR internal directory name if any).

-f file Specifies the phar file to work on.

extract command

Extract a PHAR package to a directory.

Required arguments:

-f file Specifies the phar file to work on.

Optional arguments:

-i regex Specifies a regular expression for input files.

-x regex Regular expression for input files to exclude.

... Directory to extract to (defaults to '.').

help command

This help or help for a selected command.

Optional arguments:

... Optional command to retrieve help for.

help-list command

Lists available commands.

info command

Get information about a PHAR package.

By using -k it is possible to return a single value.

Required arguments:

-f file Specifies the phar file to work on.

Optional arguments:

-k index Subscription index to work on.

list command

List contents of a PHAR archive.

Required arguments:

-f file Specifies the phar file to work on.

Optional arguments:

-i regex Specifies a regular expression for input files.

-x regex Regular expression for input files to exclude.

meta-del command

Delete meta information of a PHAR entry or a PHAR package.

If -k is given then the metadata is expected to be an array and the given index is being deleted.

If something was deleted the return value is 0 otherwise it is 1.

Required arguments:

-f file Specifies the phar file to work on.

Optional arguments:

-e entry Name of entry to work on (must include PHAR internal directory name if any).

-k index Subscription index to work on.

meta-get command

Get meta information of a PHAR entry or a PHAR package in serialized form. If no output file is specified for meta data then stdout is being used. You can also specify a particular index using -k. In that case the metadata is expected to be an array and the value of the given index is returned using echo rather than using serialize. If that index does not exist or no meta data is present then the return value is 1.

Required arguments:

-f file Specifies the phar file to work on.

Optional arguments:

-e entry Name of entry to work on (must include PHAR internal directory name if any).

-k index Subscription index to work on.

meta-set command

Set meta data of a PHAR entry or a PHAR package using serialized input. If no input file is specified for meta data then stdin is being used. You can also specify a particular index using -k. In that case the metadata is expected to be an array and the value of the given index is being set. If the metadata is not present or empty a new array will be created. If the metadata is present and a flat value then the return value is 1. Also using -k the input is being taken directly rather than being serialized.

Required arguments:

- f file Specifies the phar file to work on.
- m meta Meta data to store with entry (serialized php data).

Optional arguments:

- e entry Name of entry to work on (must include PHAR internal directory name if any).
- k index Subscription index to work on.

pack command

Pack files into a PHAR archive.

When using -s <stub>, then the stub file is being excluded from the list of input files/dirs. To create an archive that contains PEAR class PHP_Archive then point -p argument to PHP/Archive.php.

Required arguments:

- f file Specifies the phar file to work on.
- ... Any number of input files and directories. If -i is in use then ONLY files and matching the given regular expression are being packed. If -x is given then files matching that regular expression are NOT being packed.

Optional arguments:

- a alias Provide an alias name for the phar file.
- b bang Hash-bang line to start the archive (e.g. #!/usr/bin/php). The hash mark itself '#' and the newline character are optional.
- c algo Compression algorithm (see COMPRESSION)
- h hash Selects the hash algorithm (see HASH)
- i regex Specifies a regular expression for input files.
- l level Number of preceding subdirectories to strip from file entries
- p loader Location of PHP_Archive class file (pear list-files PHP_Archive). You can

use '0' or '1' to locate it automatically using the mentioned pear command.

When using '0' the command does not error out when the class file cannot be located. This switch also adds some code around the stub so that class PHP_Archive gets registered as phar:// stream wrapper if necessary. And finally this switch will add the file phar.inc from this package and load it to ensure class Phar is present.

- s stub Select the stub file.
- x regex Regular expression for input files to exclude.
- y key Private key for OpenSSL signing.

sign command

Set signature hash algorithm.

Required arguments:

- f file Specifies the phar file to work on.
- h hash Selects the hash algorithm (see HASH)

Optional arguments:

- y key Private key for OpenSSL signing.

stub-get command

Get the stub of a PHAR file. If no output file is specified as stub then stdout is being used.

Required arguments:

- f file Specifies the phar file to work on.

Optional arguments:

- s stub Select the stub file.

stub-set command

Set the stub of a PHAR file. If no input file is specified as stub then stdin is being used.

Required arguments:

- f file Specifies the phar file to work on.

Optional arguments:

- b bang Hash-bang line to start the archive (e.g. `#!/usr/bin/php`). The hash mark itself '#' and the newline character are optional.
- p loader Location of PHP_Archive class file (pear list-files PHP_Archive). You can use '0' or '1' to locate it automatically using the mentioned pear command.

When using '0' the command does not error out when the class file cannot be located. This switch also adds some code around the stub so that class PHP_Archive gets registered as phar:// stream wrapper if necessary. And finally this switch will add the file phar.inc from this package and load it to ensure class Phar is present.

-s stub Select the stub file.

tree command

Get a directory tree for a PHAR archive.

Required arguments:

-f file Specifies the phar file to work on.

Optional arguments:

-i regex Specifies a regular expression for input files.

-x regex Regular expression for input files to exclude.

version command

Get information about the PHAR environment and the tool version.

COMPRESSION

Algorithms:

0 No compression

none No compression

auto Automatically select compression algorithm

gz GZip compression

gzip GZip compression

bz2 BZip2 compression

bzip2 BZip2 compression

HASH

Algorithms:

md5 MD5

sha1 SHA1

sha256 SHA256

sha512 SHA512

openssl OpenSSL using SHA-1

openssl_sha256 OpenSSL using SHA-256

openssl_sha512 OpenSSL using SHA-512

SEE ALSO

For a more or less complete description of PHAR look here:

<http://php.net/phar>

BUGS

You can view the list of known bugs or report any new bug you found at:

<http://bugs.php.net>

AUTHORS

The PHP Group: Thies C. Arntzen, Stig Bakken, Andi Gutmans, Rasmus Lerdorf, Sam Ruby, Sascha Schumann, Zeev Suraski, Jim Winstead, Andrei Zmievski.

Work for the PHP archive was done by Gregory Beaver, Marcus Boerger.

A List of active developers can be found here:

<http://www.php.net/credits.php>

And last but not least PHP was developed with the help of a huge amount of contributors all around the world.

VERSION INFORMATION

This manpage describes phar, version 8.1.2-1ubuntu2.17.

COPYRIGHT

Copyright ? The PHP Group

This source file is subject to version 3.01 of the PHP license, that is bundled with this package in the file LICENSE, and is available through the world-wide-web at the following url:

https://www.php.net/license/3_01.txt

If you did not receive a copy of the PHP license and are unable to obtain it through the world-wide-web, please send a note to license@php.net so we can mail you a copy immediately.

The PHP Group

2021

PHAR(1)