



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'podman-completion.1'***

#### ***\$ man podman-completion.1***

podman-completion(1)() podman-completion(1)()

#### NAME

podman-completion - Generate shell completion scripts

#### SYNOPSIS

podman completion [options] bash | zsh | fish | powershell

#### DESCRIPTION

podman completion generates shell completion scripts for a variety of shells. Supported shells are bash, zsh, fish and powershell.

These script are used by the shell to provide suggestions and complete commands when the command is typed and [TAB] is pressed.

Usually these scripts are automatically installed via the package manager.

#### OPTIONS

--file, -f=file

Write the generated output to a file.

--no-desc

Do not provide description in the completions.

The default is false.

#### Installation

##### BASH

bash-completion has to be installed on the system.

To load the completion script into the current session run:

```
source <(podman completion bash).
```

To make it available for all bash sessions run:

podman completion -f /etc/bash\_completion.d/podman bash.

## ZSH

Shell completion needs to be already enabled in the environment. The following can be executed:

```
echo "autoload -U compinit; compinit" >> ~/.zshrc
```

To make it available for all zsh sessions run:

```
podman completion -f "${fpath[1]}/_podman" zsh
```

Once the shell is reloaded the auto-completion should be working.

## FISH

To load the completion script into the current session run: `podman completion fish | source`

To make it available for all fish sessions run: `podman completion -f ~/.config/fish/completions/podman.fish fish`

## POWERSHELL

To load the completion script into the current session run: `podman.exe completion powershell | Out-String | Invoke-Expression`

To make it available in all powershell sessions that a user has, write the completion output to a file and source that to the user's powershell profile. More information about profiles is available with `Get-Help about_Profiles`.

## SEE ALSO

podman(1), zsh(1), fish(1), powershell(1)

podman-completion(1)()