



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

**Rocky Enterprise Linux 9.2 Manual Pages on command 'podman-system-connection-list.1'**

**\$ man podman-system-connection-list.1**

podman-system-connection-list(1)()                      podman-system-connection-list(1)()

**NAME**

podman-system-connection-list - List the destination for the Podman service(s)

**SYNOPSIS**

podman system connection list [options]

podman system connection ls [options]

**DESCRIPTION**

List ssh destination(s) for podman service(s).

**OPTIONS**

--format=format

Change the default output format. This can be of a supported type like 'json' or a Go template. Valid placeholders for the Go template listed below:

??

?Placeholder ? Description                      ?

??

?Name      ? Connection Name/Identifier      ?

??

?Identity ? Path to file containing SSH ?

?      ? identity                      ?

??

?URI      ? URI to podman service. Valid ?

?      ? schemes                      are ?

?      ? ssh://[user@]host[:port]Unix do? ?

? ? main socket[?secure=True], ?  
? ? unix://Unix domain socket, and ?  
? ? tcp://localhost[:port] ?  
??

An asterisk is appended to the default connection.

EXAMPLE

```
$ podman system connection list
```

Name	URI	Identity
devl	ssh://root@example.com/run/podman/podman.sock	~/.ssh/id_rsa

SEE ALSO

podman-system(1) , containers.conf(5)

HISTORY

July 2020, Originally compiled by Jhon Honce (jhonce at redhat dot com)

podman-system-connection-list(1)()