



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'pthread\_attr\_getschedparam.3'***

\$ man pthread\_attr\_getschedparam.3

PTHREAD\_ATTR\_SETSCHEDPARAM(3)      Linux Programmer's Manual      PTHREAD\_ATTR\_SETSCHEDPARAM(3)

#### **NAME**

pthread\_attr\_setschedparam, pthread\_attr\_getschedparam - set/get scheduling parameter at?

tributes in thread attributes object

#### **SYNOPSIS**

```
#include <pthread.h>

int pthread_attr_setschedparam(pthread_attr_t *attr,
                               const struct sched_param *param);

int pthread_attr_getschedparam(const pthread_attr_t *attr,
                               struct sched_param *param);
```

Compile and link with -pthread.

#### **DESCRIPTION**

The pthread\_attr\_setschedparam() function sets the scheduling parameter attributes of the thread attributes object referred to by attr to the values specified in the buffer pointed to by param. These attributes determine the scheduling parameters of a thread created using the thread attributes object attr.

The pthread\_attr\_getschedparam() returns the scheduling parameter attributes of the thread attributes object attr in the buffer pointed to by param.

Scheduling parameters are maintained in the following structure:

```
struct sched_param {
    int sched_priority; /* Scheduling priority */
};
```

As can be seen, only one scheduling parameter is supported. For details of the permitted

ranges for scheduling priorities in each scheduling policy, see `sched(7)`.

In order for the parameter setting made by `pthread_attr_setschedparam()` to have effect when calling `pthread_create(3)`, the caller must use `pthread_attr_setinheritsched(3)` to set the inherit-scheduler attribute of the attributes object attr to `PTHREAD_EXPLICIT_SCHED`.

## RETURN VALUE

On success, these functions return 0; on error, they return a nonzero error number.

## ERRORS

`pthread_attr_setschedparam()` can fail with the following error:

EINVAL The priority specified in param does not make sense for the current scheduling pol?

icy of attr.

POSIX.1 also documents an ENOTSUP error for `pthread_attr_setschedparam()`. This value is never returned on Linux (but portable and future-proof applications should nevertheless handle this error return value).

## ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

?Interface      ? Attribute      ? Value      ?

?pthread\_attr\_setschedparam(), ? Thread safety ? MT-Safe ?

?pthread\_attr\_getschedparam() ? ? ?

## CONFORMING TO

POSIX.1-2001, POSIX.1-2008.

## NOTES

See `pthread_attr_setschedpolicy(3)` for a list of the thread scheduling policies supported on Linux.

## EXAMPLES

See `pthread_setschedparam(3)`.

## SEE ALSO

`sched_get_priority_min(2)`, `pthread_attr_init(3)`, `pthread_attr_setinheritsched(3)`,  
`pthread_attr_setschedpolicy(3)`, `pthread_create(3)`, `pthread_setschedparam(3)`,  
`pthread_setschedprio(3)`, `pthreads(7)`, `sched(7)`

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2020-06-09

PTHREAD\_ATTR\_SETSCHEDPARAM(3)