



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'pthread_equal.3'

\$ man pthread_equal.3

PTHREAD_EQUAL(3) Linux Programmer's Manual PTHREAD_EQUAL(3)

NAME

pthread_equal - compare thread IDs

SYNOPSIS

```
#include <pthread.h>

int pthread_equal(pthread_t t1, pthread_t t2);

Compile and link with -pthread.
```

DESCRIPTION

The pthread_equal() function compares two thread identifiers.

RETURN VALUE

If the two thread IDs are equal, pthread_equal() returns a nonzero value; otherwise, it returns 0.

ERRORS

This function always succeeds.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

```
????????????????????????????????????????????????????????
?Interface    ? Attribute    ? Value    ?
????????????????????????????????????????????????????????
?pthread_equal() ? Thread safety ? MT-Safe ?
????????????????????????????????????????????????????????
```

CONFORMING TO

POSIX.1-2001, POSIX.1-2008.

NOTES

The `pthread_equal()` function is necessary because thread IDs should be considered opaque: there is no portable way for applications to directly compare two `pthread_t` values.

SEE ALSO

`pthread_create(3)`, `pthread_self(3)`, `pthreads(7)`

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2015-08-08

PTHREAD_EQUAL(3)