



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'qpdldcode.1'***

#### ***\$ man qpdldcode.1***

qpdldcode(1)                    General Commands Manual                    qpdldcode(1)

#### NAME

qpdldcode - Decode a QPDL stream into human readable form.

#### SYNOPSIS

qpdldcode [options] <qpdl-file

#### DESCRIPTION

qpdldcode decodes a QPDL stream into human readable form. Only the JBIG compression for? mat (0x13) is handled.

An QPDL stream is the printer language used by the Samsung CLP-300, CLP-600, CLX-3160 and the Xerox Phaser 6110 printers.

#### COMMAND LINE OPTIONS

These are the options that can appear on the command line.

-d basename

    Basename of .pbm file for saving decompressed planes.

-h    Print hex file offsets.

-o    Print file offsets.

-D level

    Set Debug level [0].

#### EXAMPLES

Decode an QPDL stream file created by foo2qpdl.

```
0:  \033%-12345X@PJL DEFAULT SERVICEDATE=20070212
```

```
2c:  @PJL SET USERNAME="Unknown"
```

```
49:  @PJL SET JOBNAME="testpage.pdf"
```

6a: @PJL SET COLORMODE=COLOR  
84: @PJL SET PAPERTYPE = NORMAL  
a1: @PJL ENTER LANGUAGE = QPDL  
bd: RECTYPE 0x0 len=17  
res=600, copies=1, papersize=letter(0), w=2550, h=3300  
papersource=auto, unk=0, duplex=0:0, unk=0,2, unk=268(0x10c)  
ce: RECTYPE 0xc len=68(0x44)  
stripe=0, WB=1248(0x4e0), H=128(0x80), plane=4, comp=0x13,  
len=56(0x38)  
magic=0x39abcdef, len=20(0x14), unk=0,0,0,0,0,0,  
checksum=0x356  
DL = 0, D = 0, P = 1, - = 0, XY = 9984 x 6400  
L0 = 6400, MX = 0, MY = 0  
Order = 0  
Options = 72 LRLTWO TPBON  
1 stripes, 0 layers, 1 planes  
112: RECTYPE 0xc len=68(0x44)  
stripe=0, WB=1248(0x4e0), H=128(0x80), plane=1, comp=0x13,  
len=56(0x38)  
magic=0x39abcdef, len=20(0x14), unk=0,0,0,0,0,0,  
checksum=0x356  
DL = 0, D = 0, P = 1, - = 0, XY = 9984 x 6400  
L0 = 6400, MX = 0, MY = 0  
Order = 0  
Options = 72 LRLTWO TPBON  
1 stripes, 0 layers, 1 planes  
156: RECTYPE 0xc len=68(0x44)  
stripe=0, WB=1248(0x4e0), H=128(0x80), plane=2, comp=0x13,  
len=56(0x38)  
magic=0x39abcdef, len=20(0x14), unk=0,0,0,0,0,0,  
checksum=0x356  
DL = 0, D = 0, P = 1, - = 0, XY = 9984 x 6400  
L0 = 6400, MX = 0, MY = 0

Order = 0

Options = 72 LRLTWO TPBON

1 stripes, 0 layers, 1 planes

19a: RECTYPE 0xc len=68(0x44)

stripe=0, WB=1248(0x4e0), H=128(0x80), plane=3, comp=0x13,

len=56(0x38)

magic=0x39abcdef, len=20(0x14), unk=0,0,0,0,0,0,

checksum=0x356

DL = 0, D = 0, P = 1, - = 0, XY = 9984 x 6400

L0 = 6400, MX = 0, MY = 0

Order = 0

Options = 72 LRLTWO TPBON

1 stripes, 0 layers, 1 planes

1de: RECTYPE 0xc len=77488(0x12eb0)

stripe=1, WB=1248(0x4e0), H=128(0x80), plane=1, comp=0x13,

len=77476(0x12ea4)

magic=0x39abcdef, len=77440(0x12e80), unk=2000000,0,0,0,0,0,

checksum=0x9326d7

1308e: RECTYPE 0xc len=77680(0x12f70)

stripe=1, WB=1248(0x4e0), H=128(0x80), plane=2, comp=0x13,

len=77668(0x12f64)

magic=0x39abcdef, len=77632(0x12f40), unk=2000000,0,0,0,0,0,

checksum=0x9367e5

25ffe: RECTYPE 0xc len=69232(0x10e70)

stripe=1, WB=1248(0x4e0), H=128(0x80), plane=3, comp=0x13,

len=69220(0x10e64)

magic=0x39abcdef, len=69184(0x10e40), unk=2000000,0,0,0,0,0,

checksum=0x83938a

36e6e: RECTYPE 0xc len=45616(0xb230)

stripe=1, WB=1248(0x4e0), H=128(0x80), plane=4, comp=0x13,

len=45604(0xb224)

magic=0x39abcdef, len=45568(0xb200), unk=2000000,0,0,0,0,0,

checksum=0x58015d

4209e: RECTYPE 0x1 len=3

copies=1

420a1: RECTYPE 0x9 len=0

420a2: \033%-12345X

## FILES

/usr/bin/qpdlddecode

## SEE ALSO

foo2qpdld-wrapper(1), foo2qpdld(1)

## AUTHOR

Rick Richardson <rick.richardson@comcast.net>

<http://foo2qpdld.rkkda.com/>