

Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'sinl.3'

\$ man sinl.3

SIN(3)

Linux Programmer's Manual

SIN(3)

NAME

sin, sinf, sinl - sine function

SYNOPSIS

#include <math.h>

double sin(double x);

float sinf(float x);

long double sinl(long double x);

Link with -lm.

Feature Test Macro Requirements for glibc (see feature_test_macros(7)):

sinf(), sinl():

_ISOC99_SOURCE || _POSIX_C_SOURCE >= 200112L

|| /* Since glibc 2.19: */ _DEFAULT_SOURCE

DESCRIPTION

These functions return the sine of x, where x is given in radians.

|| /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE

RETURN VALUE

On success, these functions return the sine of x.

If x is a NaN, a NaN is returned.

If x is positive infinity or negative infinity, a domain error occurs, and a NaN is re?

turned.

ERRORS

calling these functions.

The following errors can occur:

Domain error: x is an infinity

errno is set to EDOM (but see BUGS). An invalid floating-point exception (FE_IN? VALID) is raised.

ATTRIBUTES

For an explanation of the terms used in this section, see attributes(7).

?Interface ? Attribute ? Value ?

?sin(), sinf(), sinl() ? Thread safety ? MT-Safe ?

CONFORMING TO

C99, POSIX.1-2001, POSIX.1-2008.

The variant returning double also conforms to SVr4, 4.3BSD, C89.

BUGS

Before version 2.10, the glibc implementation did not set errno to EDOM when a domain er? ror occurred.

SEE ALSO

acos(3), asin(3), atan(3), atan2(3), cos(3), csin(3), sincos(3), tan(3)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at https://www.kernel.org/doc/man-pages/.

2017-09-15 SIN(3)