



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'socket.2'***

**\$ man socket.2**

SOCKET(2)                      Linux Programmer's Manual                      SOCKET(2)

#### NAME

socket - create an endpoint for communication

#### SYNOPSIS

```
#include <sys/types.h>        /* See NOTES */  
#include <sys/socket.h>  
  
int socket(int domain, int type, int protocol);
```

#### DESCRIPTION

socket() creates an endpoint for communication and returns a file descriptor that refers to that endpoint. The file descriptor returned by a successful call will be the lowest-numbered file descriptor not currently open for the process.

The domain argument specifies a communication domain; this selects the protocol family which will be used for communication. These families are defined in <sys/socket.h>. The formats currently understood by the Linux kernel include:

Name	Purpose	Man page
AF_UNIX	Local communication	unix(7)
AF_LOCAL	Synonym for AF_UNIX	
AF_INET	IPv4 Internet protocols	ip(7)
AF_AX25	Amateur radio AX.25 protocol	ax25(4)
AF_IPX	IPX - Novell protocols	
AF_APPLETALK	AppleTalk	ddp(7)
AF_X25	ITU-T X.25 / ISO-8208 protocol	x25(7)
AF_INET6	IPv6 Internet protocols	ipv6(7)

AF\_DECnet DECet protocol sockets

AF\_KEY Key management protocol, originally developed for usage with IPsec

AF\_NETLINK Kernel user interface device netlink(7)

AF\_PACKET Low-level packet interface packet(7)

AF\_RDS Reliable Datagram Sockets (RDS) protocol rds(7)  
rds-rdma(7)

AF\_PPPOX Generic PPP transport layer, for setting up L2 tunnels (L2TP and PPPoE)

AF\_LLC Logical link control (IEEE 802.2 LLC) protocol

AF\_IB InfiniBand native addressing

AF\_MPLS Multiprotocol Label Switching

AF\_CAN Controller Area Network automotive bus protocol

AF\_TIPC TIPC, "cluster domain sockets" protocol

AF\_BLUETOOTH Bluetooth low-level socket protocol

AF\_ALG Interface to kernel crypto API

AF\_VSOCK VSOCK (originally "VMWare VSockets") vsock(7)  
protocol for hypervisor-guest communication

AF\_KCM KCM (kernel connection multiplexer) interface

AF\_XDP XDP (express data path) interface

Further details of the above address families, as well as information on several other address families, can be found in [address\\_families\(7\)](#).

The socket has the indicated type, which specifies the communication semantics. Currently defined types are:

**SOCK\_STREAM** Provides sequenced, reliable, two-way, connection-based byte streams. An out-of-band data transmission mechanism may be supported.

**SOCK\_DGRAM** Supports datagrams (connectionless, unreliable messages of a fixed maximum length).

**SOCK\_SEQPACKET** Provides a sequenced, reliable, two-way connection-based data transmission

path for datagrams of fixed maximum length; a consumer is required to read an entire packet with each input system call.

`SOCK_RAW` Provides raw network protocol access.

`SOCK_RDM` Provides a reliable datagram layer that does not guarantee ordering.

`SOCK_PACKET` Obsolete and should not be used in new programs; see `packet(7)`.

Some socket types may not be implemented by all protocol families.

Since Linux 2.6.27, the type argument serves a second purpose: in addition to specifying a socket type, it may include the bitwise OR of any of the following values, to modify the behavior of `socket()`:

`SOCK_NONBLOCK` Set the `O_NONBLOCK` file status flag on the open file description (see `open(2)`) referred to by the new file descriptor. Using this flag saves extra calls to `fcntl(2)` to achieve the same result.

`SOCK_CLOEXEC` Set the close-on-exec (`FD_CLOEXEC`) flag on the new file descriptor. See the description of the `O_CLOEXEC` flag in `open(2)` for reasons why this may be useful.

The protocol specifies a particular protocol to be used with the socket. Normally only a single protocol exists to support a particular socket type within a given protocol family, in which case protocol can be specified as 0. However, it is possible that many protocols may exist, in which case a particular protocol must be specified in this manner. The protocol number to use is specific to the ?communication domain? in which communication is to take place; see `protocols(5)`. See `getprotoent(3)` on how to map protocol name strings to protocol numbers.

Sockets of type `SOCK_STREAM` are full-duplex byte streams. They do not preserve record boundaries. A stream socket must be in a connected state before any data may be sent or received on it. A connection to another socket is created with a `connect(2)` call. Once connected, data may be transferred using `read(2)` and `write(2)` calls or some variant of the `send(2)` and `recv(2)` calls. When a session has been completed a `close(2)` may be performed. Out-of-band data may also be transmitted as described in `send(2)` and received as described in `recv(2)`.

The communications protocols which implement a `SOCK_STREAM` ensure that data is not lost or duplicated. If a piece of data for which the peer protocol has buffer space cannot be successfully transmitted within a reasonable length of time, then the connection is considered to be dead. When `SO_KEEPALIVE` is enabled on the socket the protocol checks in a

protocol-specific manner if the other end is still alive. A SIGPIPE signal is raised if a process sends or receives on a broken stream; this causes naive processes, which do not handle the signal, to exit. SOCK\_SEQPACKET sockets employ the same system calls as SOCK\_STREAM sockets. The only difference is that read(2) calls will return only the amount of data requested, and any data remaining in the arriving packet will be discarded.

Also all message boundaries in incoming datagrams are preserved.

SOCK\_DGRAM and SOCK\_RAW sockets allow sending of datagrams to correspondents named in sendto(2) calls. Datagrams are generally received with recvfrom(2), which returns the next datagram along with the address of its sender.

SOCK\_PACKET is an obsolete socket type to receive raw packets directly from the device driver. Use packet(7) instead.

An fcntl(2) F\_SETOWN operation can be used to specify a process or process group to receive a SIGURG signal when the out-of-band data arrives or SIGPIPE signal when a SOCK\_STREAM connection breaks unexpectedly. This operation may also be used to set the process or process group that receives the I/O and asynchronous notification of I/O events via SIGIO. Using F\_SETOWN is equivalent to an ioctl(2) call with the FIOSETOWN or SIOCSPGRP argument.

When the network signals an error condition to the protocol module (e.g., using an ICMP message for IP) the pending error flag is set for the socket. The next operation on this socket will return the error code of the pending error. For some protocols it is possible to enable a per-socket error queue to retrieve detailed information about the error; see IP\_RECVERR in ip(7).

The operation of sockets is controlled by socket level options. These options are defined in <sys/socket.h>. The functions setsockopt(2) and getsockopt(2) are used to set and get options.

## RETURN VALUE

On success, a file descriptor for the new socket is returned. On error, -1 is returned, and errno is set appropriately.

## ERRORS

EACCES Permission to create a socket of the specified type and/or protocol is denied.

### EAFNOSUPPORT

The implementation does not support the specified address family.

EINVAL Unknown protocol, or protocol family not available.

EINVAL Invalid flags in type.

EMFILE The per-process limit on the number of open file descriptors has been reached.

ENFILE The system-wide limit on the total number of open files has been reached.

ENOBUFS or ENOMEM

Insufficient memory is available. The socket cannot be created until sufficient resources are freed.

EPROTONOSUPPORT

The protocol type or the specified protocol is not supported within this domain.

Other errors may be generated by the underlying protocol modules.

## CONFORMING TO

POSIX.1-2001, POSIX.1-2008, 4.4BSD.

The SOCK\_NONBLOCK and SOCK\_CLOEXEC flags are Linux-specific.

socket() appeared in 4.2BSD. It is generally portable to/from non-BSD systems supporting clones of the BSD socket layer (including System V variants).

## NOTES

POSIX.1 does not require the inclusion of `<sys/types.h>`, and this header file is not required on Linux. However, some historical (BSD) implementations required this header file, and portable applications are probably wise to include it.

The manifest constants used under 4.x BSD for protocol families are PF\_UNIX, PF\_INET, and so on, while AF\_UNIX, AF\_INET, and so on are used for address families. However, already the BSD man page promises: "The protocol family generally is the same as the address family", and subsequent standards use AF\_\* everywhere.

## EXAMPLES

An example of the use of socket() is shown in getaddrinfo(3).

## SEE ALSO

accept(2), bind(2), close(2), connect(2), fcntl(2), getpeername(2), getsockname(2), getsockopt(2), ioctl(2), listen(2), read(2), recv(2), select(2), send(2), shutdown(2), socketpair(2), write(2), getprotoent(3), address\_families(7), ip(7), socket(7), tcp(7), udp(7), unix(7)

?An Introductory 4.3BSD Interprocess Communication Tutorial? and ?BSD Interprocess Communication Tutorial?, reprinted in UNIX Programmer's Supplementary Documents Volume 1.

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the

project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2020-06-09

SOCKET(2)