



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'split.1'

\$ man split.1

SPLIT(1) User Commands SPLIT(1)

NAME

split - split a file into pieces

SYNOPSIS

split [OPTION]... [FILE [PREFIX]]

DESCRIPTION

Output pieces of FILE to PREFIXaa, PREFIXab, ...; default size is 1000 lines, and default PREFIX is 'x'.

With no FILE, or when FILE is -, read standard input.

Mandatory arguments to long options are mandatory for short options too.

-a, --suffix-length=N

generate suffixes of length N (default 2)

--additional-suffix=SUFFIX

append an additional SUFFIX to file names

-b, --bytes=SIZE

put SIZE bytes per output file

-C, --line-bytes=SIZE

put at most SIZE bytes of records per output file

-d use numeric suffixes starting at 0, not alphabetic

--numeric-suffixes[=FROM]

same as -d, but allow setting the start value

-x use hex suffixes starting at 0, not alphabetic

--hex-suffixes[=FROM]

same as -x, but allow setting the start value

-e, --elide-empty-files

do not generate empty output files with '-n'

--filter=COMMAND

write to shell COMMAND; file name is \$FILE

-l, --lines=NUMBER

put NUMBER lines/records per output file

-n, --number=CHUNKS

generate CHUNKS output files; see explanation below

-t, --separator=SEP

use SEP instead of newline as the record separator; '\0' (zero) specifies the NUL character

-u, --unbuffered

immediately copy input to output with '-n r/...'

--verbose

print a diagnostic just before each output file is opened

--help display this help and exit

--version

output version information and exit

The `SIZE` argument is an integer and optional unit (example: 10K is 10*1024). Units are K,M,G,T,P,E,Z,Y (powers of 1024) or KB,MB,... (powers of 1000). Binary prefixes can be used, too: KiB=K, MiB=M, and so on.

CHUNKS may be:

N split into N files based on size of input

K/N output Kth of N to stdout

l/N split into N files without splitting lines/records

l/K/N output Kth of N to stdout without splitting lines/records

r/N like 'l' but use round robin distribution

r/K/N likewise but only output Kth of N to stdout

AUTHOR

Written by Torbjorn Granlund and Richard M. Stallman.

REPORTING BUGS

GNU coreutils online help: <<https://www.gnu.org/software/coreutils/>>

Report any translation bugs to <<https://translationproject.org/team/>>

COPYRIGHT

Copyright ? 2020 Free Software Foundation, Inc. License GPLv3+: GNU GPL version 3 or later <<https://gnu.org/licenses/gpl.html>>.

This is free software: you are free to change and redistribute it. There is NO WARRANTY, to the extent permitted by law.

SEE ALSO

Full documentation <<https://www.gnu.org/software/coreutils/split>>
or available locally via: info '(coreutils) split invocation'

GNU coreutils 8.32

February 2024

SPLIT(1)