



**Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!**

### ***Rocky Enterprise Linux 9.2 Manual Pages on command 'strdupa.3'***

**\$ man strdupa.3**

STRDUP(3)                      Linux Programmer's Manual                      STRDUP(3)

#### NAME

strdup, strndup, strdupa, strndupa - duplicate a string

#### SYNOPSIS

```
#include <string.h>

char *strdup(const char *s);

char *strndup(const char *s, size_t n);

char *strdupa(const char *s);

char *strndupa(const char *s, size_t n);
```

Feature Test Macro Requirements for glibc (see feature\_test\_macros(7)):

```
strdup():

    _XOPEN_SOURCE >= 500

    || /* Since glibc 2.12: */ _POSIX_C_SOURCE >= 200809L

    || /* Glibc versions <= 2.19: */ _BSD_SOURCE || _SVID_SOURCE
```

```
strndup():

    Since glibc 2.10:

        _POSIX_C_SOURCE >= 200809L
```

```
    Before glibc 2.10:

        _GNU_SOURCE
```

```
strdupa(), strndupa(): _GNU_SOURCE
```

#### DESCRIPTION

The strdup() function returns a pointer to a new string which is a duplicate of the string s. Memory for the new string is obtained with malloc(3), and can be freed with free(3).

The `strndup()` function is similar, but copies at most `n` bytes. If `s` is longer than `n`, only `n` bytes are copied, and a terminating null byte (`'\0'`) is added.

`strdupa()` and `strndupa()` are similar, but use `alloca(3)` to allocate the buffer. They are available only when using the GNU GCC suite, and suffer from the same limitations described in `alloca(3)`.

## RETURN VALUE

On success, the `strdup()` function returns a pointer to the duplicated string. It returns `NULL` if insufficient memory was available, with `errno` set to indicate the cause of the error.

## ERRORS

`ENOMEM` Insufficient memory available to allocate duplicate string.

## ATTRIBUTES

For an explanation of the terms used in this section, see `attributes(7)`.

??

?Interface                   ? Attribute   ? Value   ?

??

?`strdup()`, `strndup()`, `strdupa()`, ? Thread safety ? MT-Safe ?

?`strndupa()`                   ?           ?           ?

??

## CONFORMING TO

`strdup()` conforms to SVr4, 4.3BSD, POSIX.1-2001. `strndup()` conforms to POSIX.1-2008.

`strdupa()` and `strndupa()` are GNU extensions.

## SEE ALSO

`alloca(3)`, `calloc(3)`, `free(3)`, `malloc(3)`, `realloc(3)`, `string(3)`, `wcsdup(3)`

## COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.