



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'systemd-sysctl.service.8'

\$ man systemd-sysctl.service.8

SYSTEMD-SYSCTL.SERVICE(8) systemd-sysctl.service SYSTEMD-SYSCTL.SERVICE(8)

NAME

systemd-sysctl.service, systemd-sysctl - Configure kernel parameters at boot

SYNOPSIS

/lib/systemd/systemd-sysctl [OPTIONS...] [CONFIGFILE...]

systemd-sysctl.service

DESCRIPTION

systemd-sysctl.service is an early boot service that configures sysctl(8) kernel parameters by invoking /lib/systemd/systemd-sysctl.

When invoked with no arguments, /lib/systemd/systemd-sysctl applies all directives from configuration files listed in sysctl.d(5). If one or more filenames are passed on the command line, only the directives in these files are applied.

In addition, --prefix= option may be used to limit which sysctl settings are applied.

See sysctl.d(5) for information about the configuration of sysctl settings. After sysctl configuration is changed on disk, it must be written to the files in /proc/sys/ before it takes effect. It is possible to update specific settings, or simply to reload all configuration, see Examples below.

OPTIONS

--prefix=

Only apply rules with the specified prefix.

--cat-config

Copy the contents of config files to standard output. Before each file, the filename is printed as a comment.

--no-pager

Do not pipe output into a pager.

-h, --help

Print a short help text and exit.

--version

Print a short version string and exit.

EXAMPLES

Example 1. Reset all sysctl settings

```
systemctl restart systemd-sysctl
```

Example 2. View coredump handler configuration

```
# sysctl kernel.core_pattern
```

```
kernel.core_pattern = |libexec/abrt-hook-ccpp %s %c %p %u %g %t %P %l
```

Example 3. Update coredump handler configuration

```
# /lib/systemd/systemd-sysctl --prefix kernel.core_pattern
```

This searches all the directories listed in `sysctl.d(5)` for configuration files and writes `/proc/sys/kernel/core_pattern`.

Example 4. Update coredump handler configuration according to a specific file

```
# /lib/systemd/systemd-sysctl 50-coredump.conf
```

This applies all the settings found in `50-coredump.conf`. Either

`/etc/sysctl.d/50-coredump.conf`, or `/run/sysctl.d/50-coredump.conf`, or

`/usr/lib/sysctl.d/50-coredump.conf` will be used, in the order of preference.

See `sysctl(8)` for various ways to directly apply `sysctl` settings.

SEE ALSO

`systemd(1)`, `sysctl.d(5)`, `sysctl(8)`,

`systemd 249`

`SYSTEMD-SYSCTL.SERVICE(8)`