



Full credit is given to the above companies including the Operating System (OS) that this PDF file was generated!

Rocky Enterprise Linux 9.2 Manual Pages on command 'ttytype.5'

\$ man ttytype.5

TTYTYPE(5) Linux Programmer's Manual TTYTYPE(5)

NAME

ttytype - terminal device to default terminal type mapping

DESCRIPTION

The /etc/ttytype file associates termcap(5)/terminfo(5) terminal type names with tty lines. Each line consists of a terminal type, followed by whitespace, followed by a tty name (a device name without the /dev/) prefix.

This association is used by the program tset(1) to set the environment variable TERM to the default terminal name for the user's current tty.

This facility was designed for a traditional time-sharing environment featuring character-cell terminals hardwired to a UNIX minicomputer. It is little used on modern workstation and personal UNIX systems.

FILES

/etc/ttytype
the tty definitions file.

EXAMPLES

A typical /etc/ttytype is:

```
con80x25 tty1
vt320 ttys0
```

SEE ALSO

termcap(5), terminfo(5),agetty(8), mingetty(8)

COLOPHON

This page is part of release 5.10 of the Linux man-pages project. A description of the

project, information about reporting bugs, and the latest version of this page, can be found at <https://www.kernel.org/doc/man-pages/>.

Linux

2020-06-09

TTYTYPE(5)